

OUTDOOR  
DECK  
COMPANY

grad<sup>®</sup>

Decking & Cladding System  
Catalogue 2022

[info@outdoordeck.co.uk](mailto:info@outdoordeck.co.uk) - [outdoordeck.co.uk](http://outdoordeck.co.uk) - +44 (0) 208 977 0820


# Contents

Cladding System	2
Variclad Cladding	3
Decking System	4
Timber Finishes	5
Grad Rails and Clips	9
Top Lift Decking Pedestals	11
Accessories	12




grad

  
**25 Years**  
Grad System Warranty  
Pedestals, Rails & Clips



# Cladding System



**100% Invisible Fixing**

**Perfect Alignment & Gaps Between Boards**

**A Unique & Patented Screw-free System**

Seamless cladding for walls, ceilings or any other flat surface.


A variety of timbers ready to attach to Grad rails.

Perfectly placed clips to suit board shape, width and configuration whether regular or Variclad.


Effortless installation.



[Click here](#)



# Variclad Cladding



## Variable widths to create a unique and eye-catching look


The Variclad system is compatible with three different sizes of Bamboo boards for use with Flat Rail Variclad 1.

**45mm, 64mm and 120mm  
Bamboo X-treme**

Clipped on the same rail, for a durable design and easy installation.



Bespoke arrangements are available on request subject to order volume.



# Decking System

The ultimate invisible-fix screw-free decking system



Seamless decking system with a suite of accessories.

Our aluminium rails are supplied with factory-attached Grad clips perfectly placed to suit your specified board shape and width.



Speedy and effortless installation.


A variety of timbers to suit every project.



# Grad Finishes

## Decking

### Thermo Ash



At Installation    6 months +    1 Year +

#### Thermo-treated Ash

Clear Grade  
Domed Profile  
20 Year Warranty  
FSC Certified Product Available

#### Compatible rails:

- PR 24 (120)
- PR 39 (120)
- PR 56 (120)
- Flat Rail (120)

### Thermo Pine



At Installation    6 months +    1 Year +

#### Thermo-treated Pine

2.5 knots/lm  
Domed Profile  
15 Year Warranty  
FSC Certified Product Available

#### Compatible rails:

- PR 24 (120)
- PR 39 (120)
- PR 56 (120)
- Flat Rail (120)

### Kebony



At Installation    6 months +    2 Years +


#### Kebonized Radiata Pine

Clear Grade  
Domed Profile  
30 Year Warranty  
FSC Certified Product Available

#### Compatible rails:

- PR 24 (120)
- PR 39 (120)
- PR 56 (120)
- Flat Rail (120)

### Ipe



At Installation    6 months +    2 Years +

#### Ipe

Clear Grade  
Domed Profile  
30 Year Warranty  
FSC Certified Product Available

#### Compatible rails:

- PR 24 (120)
- PR 39 (120)
- PR 56 (120)
- Flat Rail (120)

\*Please contact us for available board lengths

# Grad Finishes

Decking cont.

### Bamboo X-treme



At Installation    6 months +    2 Years +

**Thermo-treated Bamboo  
G-D-20120-X**

Clear Grade  
Domed Profile  
25 Year Warranty  
B Fire-rated

**Compatible rails:**  
PR 24 (120)  
PR 39 (120)  
PR 56 (120)  
Flat Rail (120)

### Bamboo N-durance




At Installation    6 months +    2 Years +

**Thermo-treated Bamboo  
G-D-20120-N**

Clear Grad  
Domed Profile  
25 Year Warranty  
B Fire-rated

**Compatible rails:**  
PR 24 (120)  
PR 39 (120)  
PR 56 (120)  
Flat Rail (120)

### Lava FR




Awating image

**Composite  
G-D-5236-FR**

Bfl, s1 Fire rated Premium  
Flat Profile  
10 Year Warranty  
Composite

**Compatible rails:**  
PR 24 (120)  
PR 39 (120)  
PR 56 (120)  
Flat Rail (120)

### Silver FR



Awating image

**Composite  
G-D-5136-FR**

Bfl, s1 Fire rated Premium  
Flat Profile  
10 Year Warranty  
Composite

**Compatible rails:**  
PR 24 (120)  
PR 39 (120)  
PR 56 (120)  
Flat Rail (120)

# Grad Finishes

## Cladding

### Thermo Ash Rhomboid



At Installation 6 months + 2 Years +

#### Thermo-treated Ash

Clear Grade  
Flat Profile  
20 Year Warranty  
FSC Certified Product Available

**Compatible rails:**  
Flat Rail (52)

### Thermo Ash Square



At Installation 6 months + 1 Year +

#### Thermo-treated Ash

Clear Grade  
Flat Profile  
20 Year Warranty  
FSC Certified Product Available

**Compatible rails:**  
Flat Rail (52)

### Thermo Pine Rhomboid



At Installation 6 months + 1 Year +

#### Thermo-treated Pine

Clear Grade  
Flat Profile  
15 Year Warranty  
FSC Certified Product Available

**Compatible rails:**  
Flat Rail (65)

### Thermo Pine Square



At Installation 6 months + 1 Year +

#### Thermo-treated Pine

Clear Grade  
Flat Profile  
15 Year Warranty  
FSC Certified Product Available

**Compatible rails:**  
Flat Rail (65)

# Grad Finishes

## Cladding cont.

### Thermo Ash 120



At Installation    6 months +    2 Years +

#### Thermo-treated Ash

Clear Grade  
Domed Profile  
20 Year Warranty  
FSC Certified Product Available

Compatible rails:  
Flat Rail (120)

### Bamboo X-treme 45



At Installation    6 months +    1 Year +

#### Thermo-treated Bamboo

**G-C-2145-X**  
Clear Grade  
Flat Profile  
25 Year Warranty  
B Fire-rated

Compatible rails:  
Flat Rail (45)  
Variclad 1

### Bamboo X-treme 64



At Installation    6 months +    1 Year +

#### Thermo-treated Bamboo

**G-C-2164-X**  
Clear Grade  
Flat Profile  
25 Year Warranty  
B Fire-rated

Compatible rails:  
Flat Rail (64)  
Variclad 1

### Bamboo X-treme 120



At Installation    6 months +    1 Year +

#### Thermo-treated Bamboo

**G-C-21120-X**  
Clear Grade  
Flat Profile  
25 Year Warranty  
B Fire-rated

Compatible rails:  
Flat Rail (120)  
Variclad 1

# Grad Rails and Clips

## Decking

Flat Rail (120)



**G-DCR-1185**  
To fit 120mm wide decking,  
L1984mm H18mm with clips

PR 24 (120)



**G-DR-1191**  
To fit 120mm wide decking,  
L1984mm H30mm with clips

PR 39 (120)



**G-DR-1194**  
To fit 120mm wide decking,  
L1984mm H45mm with clips

PR 56 (120)



**G-DR-1197**  
To fit 120mm wide decking,  
L1984mm H62mm with clips

## Cladding

Flat Rail (45)



**G-CR-1799**  
To fit 45mm cladding,  
L1989mm H18mm with clips,  
6mm gaps

## Cladding cont.

Flat Rail (52)



**G-CR-1188**  
To fit 52mm cladding,  
L1960mm H18mm with clips,  
4mm gaps

Flat Rail (64)



**G-CR-1792**  
To fit 64mm cladding,  
L1960mm H18mm with clips,  
6mm gaps

Flat Rail (65)



**G-CR-1822**  
To fit 65mm cladding,  
L2001mm H18mm with clips  
4mm gaps

Flat Rail (120)



**G-DCR-1185**  
To fit 120mm cladding,  
L1984mm H18mm with clips,  
6mm gaps

Flat Rail Variclad 1




**G-CR-1903**  
To fit Variclad cladding,  
L1968mm H18mm with clips,  
6mm gaps

# Grad Rails and Clips

## Connectors

### Top Link (120)



**G-A-1488-I**  
Connector for joining two rails & ensuring clips remain perfectly spaced

### Rail Connection Plate - PR 39 & PR 56



**G-A-1505-I**  
To connect rails where angles are required  
For PR 39 (120) & PR 56 (120) rails

### Rail Connection Plate - PR 24



**G-A-1506-I**  
To connect rails where angles are required  
For PR 24 (120) rails

## Skirting

### Top Cube



**G-A-1498-I**  
Adjustable pedestal to be used at the terrace edge

### Skirting Support 1



**G-A-1473-I**  
Skirting rail for single boards

### Skirting Support 2



**G-A-1474-I**  
Skirting rail for two boards

### Skirting Support 3



**G-A-1476-I**  
Skirting rail for three boards

### Skirting Connection Plate



**G-A-1504-I**  
Connection for skirting where unsupported boards come together at an angle

# Top Lift Decking Pedestals



**G-P-35-55**  
35-55mm



**G-P-56-100**  
56-100mm



**G-P-101-145**  
101-145mm



**G-P-146-190**  
146-190mm



**G-P-191-235**  
191-235mm




**G-P-236-280**  
236-280mm



**G-P-281-325**  
281-325mm



**G-P-326-370**  
326-370mm



## Code


## Pedestal Configuration

G-P-35-55	Head, Base
G-P-56-100	Head, Base + 1x Pedestal Extension
G-P-101-145	Head, Base + 2x Pedestal Extensions
G-P-146-190	Head, Base + 3x Pedestal Extensions + 2x Pedestal Reinforcers
G-P-191-235	Head, Base + 4x Pedestal Extensions + 2x Pedestal Reinforcers
G-P-236-280	Head, Base + 5x Pedestal Extensions + 3x Pedestal Reinforcers
G-P-281-325	Head, Base + 6x Pedestal Extensions + 4x Pedestal Reinforcers
G-P-326-370	Head, Base + 7x Pedestal Extensions + 4x Pedestal Reinforcers

# Accessories

## Ancillary

### Removal Keys




**G-A-968**

Board removal key suitable for 120mm boards

## Finishes

### Ventilation Board



**G-A-1516**

For areas where ventilation and drainage are required

## Pedestals

### Pedestal Extensions



**G-P-1495-I**

Extenders for Decking Pedestals

### Pedestal Reinforcer



**G-P-1499-I**

Reinforcers for Decking Pedestals

### Slope Corrector



**G-P-1496-I**

Slope Correctors (0 - 4%) for Decking Pedestals

## Clips

### Removable Clip



**G-A-1483-I**

Individual clip to be fitted to rail as required - compatible with all rails

### Half Clip



**G-A-1485-I**

Half-size clip to be fitted to rail as required or as an end clip - compatible with all rails

### Packer Clip



**G-A-1486-I**

Packing clip for surface fixing boards when space is limited

### Clip Without Stoppers




**G-A-1487-I**

Flat clip to be fitted to rail when unusual angles are required



# Get in touch

and discover how GRAD can enhance your projects



[info@outdoordeck.co.uk](mailto:info@outdoordeck.co.uk) - [www.outdoordeck.co.uk](http://www.outdoordeck.co.uk) - +44 020 8977 0820