


CUSTOMER: Standard Legendary Empire

ORDER No:


FIXING: Ground



CUSTOMER: Standard Legendary Empire

ORDER No:

FIXING: Ground



Mystical World - Legendary Empire
 29.5 square metres of 40mm wetpour
 20.5 linear metres of edging



Complied by

AB

Date

16/04/08

ISSUE
ECN
DATE
SIGN

0
1548
16/04/08
AB

1
minor
16/09/09
AB

2
1649
02/03/12
DB

3
1671
28/11/12
DB

4
1677
22/05/13
DB


5
1699
05/11/14
DB

6
Minor
05/09/17
MC

CUSTOMER: Standard Legendary Empire

ORDER No:

FIXING: Ground



Mystical World - Legendary Empire
 34 tiles 40mm thick
 25 linear metres edging



Complied by

AB

Date

16/04/08

ISSUE

0

1

2

3

4

5

6

ECN

1548

minor

1649

1671

1677

1699

Minor

DATE

16/04/08

16/09/09

02/03/12

28/11/12

22/05/13

05/11/14

05/09/17

SIGN

AB

AB


DB

DB

DB

DB

MC




	Complied by	AB	ISSUE	0	1	2	3	4	5	6			
			ECN	1548	minor	1649	1671	1677	1699	Minor			
	Date	16/04/08	DATE	16/04/08	16/09/09	02/03/12	28/11/12	22/05/13	05/11/14	05/09/17			
			SIGN	AB	AB	DB	DB	DB	DB	MC			

CUSTOMER: Standard Legendary Empire

ORDER No:

FIXING: Bark



Mystical World - Legendary Empire
 32.5 square metres loose fill surfacing
 21.5 linear metres loose fill edging



Complied by

AB

Date

16/04/08

ISSUE

0

1

2

3

4

5

6

ECN

1548

minor

1649

1671

1677

1699

Minor

DATE

17/04/08

16/09/09

02/03/12

28/11/12

22/05/13

05/11/14

05/09/17

SIGN

AB

AB

DB

DB

DB


DB

MC

CUSTOMER: Standard Legendary Empire

ORDER No:

FIXING: Ground



Mystical World - Legendary Empire

All foundations are 300 x 300
unless otherwise stated

All foundations are 375 deep



Complied by

AB

Date

16/04/08

ISSUE

0

1

2

3

4

5

6

ECN

1548

minor

1649

1671

1677

1699

Minor

DATE

17/04/08

16/09/09

02/03/12

28/11/12

22/05/13

05/11/14

05/09/17

SIGN

AB

AB

DB

DB

DB


DB


MC

CUSTOMER: Standard Legendary Empire

ORDER No:

FIXING: Ground



		
QTY	PART No	DESCRIPTION
1	4201-260	SQUARE TOWER LEG ASSY

Mystical World	
Mystical Square Tower	
PROD. CODE	6400-046
SIZE	643 x 643 x 1772
AGE RANGE	3 to 8 years old
F/ FALL HEIGHT	<600mm
HEAVIEST PART	
TOTAL WEIGHT	Approx 47kg
	

SPECIFICATION

Steel Nominal Bore Tube (medium) to BS 1387

Steel RHS to BS 4848 Pt 2

Solid steel to BS 970 Pt 1

3mm steel Durbar chequer plate

Welds are from copper-free wire to BS EN 440

Low lead polyester powder paint to BS 71 Pt 3


INSTALLATION INSTRUCTIONS

- 1 Read instructions thoroughly before commencing installation of unit
- 2 Excavate foundations as shown in the foundation plan
- 3 Position the unit on bricks in the excavated holes, ensuring it is plumb, square, at the correct height, distance and orientation
- 4 Backfill each hole with 0.032 cubic m concrete (4 parts gravel/2 parts sand/ 1 part cement)
- 5 Allow concrete to set for 48 hours


Note

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE


ITEM	QTY	PART No	DESCRIPTION
1	1	4201-260	SQUARE TOWER LEG ASSY



FOR BARK FIX ADD			
ITEM	QTY	PART No	DESCRIPTION
2	8	5071-028	Z-SHAPED BELOW GROUND FIXING
3	8	2175-116	M10 x 30 LG HEX HD SCREW
4	8	2193-006	M10 Nut



COMPILED AB	REV	0	1							
	ECN	1548	minor							
DATE: 14/02/08	SIG.	AB	TE							
	DATE:	14/02/08	09/07/10							



Mystical World

Mystical Hexagon Tower

PROD. CODE	6400-047
SIZE	1082 x 1243 x 2097
AGE RANGE	3 to 8 years old
F/ FALL HEIGHT	900mm
HEAVIEST PART	
TOTAL WEIGHT	Approx 93 kg



QTY	PART No	DESCRIPTION
1	4201-331	HEXAGON TOWER

SPECIFICATION

Steel Nominal Bore Tube (medium) to BS 1387

Steel RHS to BS 4848 Pt 2

Solid Steel to BS 970 Pt 1

3mm steel Durbar chequer plate

Welds are from copper-free wire to BS EN 440

Low lead polyester powder paint to BS 71 Pt 3

INSTALLATION INSTRUCTIONS



- 1 Read instructions thoroughly before commencing installation of unit
- 2 Excavate foundations as shown in the foundation plan
- 3 Position the tower on bricks in the excavated holes, ensuring it is plumb, square, at the correct height, distance and orientation
- 4 Backfill each hole with 0.032 cubic m concrete (4 parts gravel/2 parts sand/1 part cement)
- 5 Allow concrete to set for 48 hours

Note

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE

Foundation Details


(Care must be taken under abnormal conditions)



PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	4201-331	HEXAGON TOWER

FOR BARK FIX ADD			
ITEM	QTY	PART NUMBER	DESCRIPTION
2	6	5071-028	Z-SHAPED BELOW GROUND FIXING
3	6	2175-116	M10 x 30 LG HEX HD SCREW
4	6	2193-006	M10 Nut

COMPILED AB	REV	0	1							
	ECN	1548	MINOR							
DATE: 14/02/08	SIG.	AB	TE							
	DATE:	14/02/08	09/07/10							



DELIVERY LIST

QTY	PART No	DESCRIPTION
1	6400-048	Cosmic Low Ramp
1		Fixing Pack

Mystical World

Cosmic Low Ramp

PROD. CODE	6400-048
SIZE	643 x 687 x 717
AGE RANGE	3 to 8 years old
F/ FALL HEIGHT	<600mm
HEAVIEST PART	Approx 11 kg
TOTAL WEIGHT	Approx 19 kg



SPECIFICATION

Solid steel components to BS 970 Pt 1

Steel Nominal Bore Tube (medium) to BS 1387

Aluminium castings made from LM6M

15mm thick HD polyethylene 100% recyclable non-toxic and complies with EN 71

Non-standard fixings are anti-vandal and corrosion resistant

Welds are from copper-free wire to BS EN 440

Low lead polyester powder paint to BS 71 Pt 3

INSTALLATION INSTRUCTIONS




- 1 Read instructions thoroughly before commencing installation of unit
- 2 Excavate foundations as shown in the foundation plan
- 3 Position the ramp on a brick in the excavated hole, ensuring it is plumb, square, at the correct height, distance and orientation
- 4 Secure the ramp to the tower using fixings
- 5 Backfill the hole with 0.032 cubic m concrete (4 parts gravel/2 parts sand/1 part cement)
- 7 Allow concrete to set for 48 hours


Note

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE

Foundation Detail

(Care must be taken in abnormal conditions)






PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	4	2175-116	M10 x 30 LG HEX HD SCREW
2	2	2176-129	M10 x 50 Pent Button Head
3	4	2215-508	M10 Washer
4	4	2472-009	FIXING SPACER (15 panel)
5	4	2611-031_Cap	Black Poepplemann Cap
6	4	2611-031_Cup	Black Poepplemann Cup
7	4	2900-041	FIXING WASHER
8	1	3755-680	CLIMBING PANEL
9	1	4201-262	WELDED FRAME

FOR BARK FIX ADD

ITEM	QTY	PART NUMBER	DESCRIPTION
10	2	5071-028	Z-SHAPED BELOW GROUND FIXING
11	2	2175-116	M10 x 30 LG HEX HD SCREW
12	2	2193-006	M10 Nut

COMPILED AB	REV	0	1	2	3					
	ECN	1548	Minor	minor	1677					
DATE: 15/02/08	SIG.	AB	DB	TE	DB					
	DATE:	15/02/08	21/07/09	09/07/10	07/05/13					



Mystical World	
Stellar Low Spiral Riser	
PROD. CODE	6400-049
SIZE	723 x 803 x 1407
AGE RANGE	3 to 8 years old
F/ FALL HEIGHT	<600mm
HEAVIEST PART	Approx 12 kg
TOTAL WEIGHT	Approx 15.5 kg
	

SPECIFICATION

Solid steel components to BS 970 Pt 1

Steel Nominal Bore Tube (medium) to BS 1387

RHS to BS 4848 Pt 2

18mm thick HD polyethylene 100% recyclable non-toxic and complies with EN 71 with non-slip textured finish

Non-standard fixings are anti-vandal and corrosion resistant

Welds are from copper-free wire to BS EN 440

Low lead polyester powder paint to BS 71 Pt 3


INSTALLATION INSTRUCTIONS

- 1 Read instructions thoroughly before commencing installation of unit
- 2 Excavate foundation as shown in the foundation plan
- 3 Position the riser on a brick in the excavated hole,
- 4 Fit clamp ensuring Spiral Riser is plumb, square, at correct height, distance and orientation without causing unnecessary strain on the clamp. Clamp is not supplied with accessory, but with unit.
5. Fit M10 x 45 Pent Button Head Screw and Washer to secure Spiral Riser to Frame. See Detail 'A' on Sheet 2.
- 6 Backfill with 0.032 cubic m concrete (4 parts gravel/2 parts sand/1 part cement)
- 7 Allow concrete to set for 48 hours


Note

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE


Foundation Detail
(Care must be taken in abnormal conditions)




M10 x 45 Pent Button Head
Screw and Washer



Detail A
Sectioned View






PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	4201-257	WELDED ASSEMBLY
2	3	3755-699	ACCESS STEP
3	9	2176-227	M8 x 25 LG PENT C'SK SCREW
4	1	2176-128	M10 x 45 Pent Button Head
5	1	2215-508	M10 Washer

FOR BARK FIX ADD

ITEM	QTY	PART NUMBER	DESCRIPTION
6	2	5071-028	Z-SHAPED BELOW GROUND FIXING
7	2	2175-116	M10 x 30 LG HEX HD SCREW
8	2	2193-006	M10 Nut

COMPILED AB	REV	0	1	2	3	4				
	ECN	1548	minor	minor	minor	1677				
DATE: 15/02/08	SIG.	AB	TE	MC	DB	DB				
	DATE:	15/02/08	09/07/10	08/06/12	10/01/13	15/05/13				



DELIVERY LIST

QTY	PART No	DESCRIPTION
1	6400-054	She-Devil's Catwalk

Mystical World

She-Devil's Catwalk

PROD. CODE	6400-054
SIZE	643 x 1172 x 715
AGE RANGE	3 to 8 years old
F/ FALL HEIGHT	900mm
HEAVIEST PART	Approx 20.8 kg
TOTAL WEIGHT	Approx 23.1 kg



SPECIFICATION

Solid steel components to BS 970 Pt 1

Steel Nominal Bore Tube (medium) to BS 1387

RHS to BS 4848 Pt 2

18mm thick HD polyethylene 100% recyclable non-toxic and complies with EN 71 with non-slip textured finish

Non-standard fixings are anti-vandal and corrosion resistant

Welds are from copper-free wire to BS EN 440

Low lead polyester powder paint to BS 71 Pt 3



INSTALLATION INSTRUCTIONS


- 1 Read instructions thoroughly before commencing installation of unit
- 2 Support catwalk on unit, ensuring it is at the correct height
- 3 Fit clamps, ensuring there is no unnecessary strain on the clamps. Clamps not supplied with accessory but with unit

Note

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE

Foundation Details
(Care must be taken in abnormal conditions)






PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	4201-265	WELDED FRAME
2	1	3755-701	LONG PLANK
3	4	2215-508	M10 Washer
4	4	2177-001	M8 Safety Fastener
5	4	2176-231	M8 x 45 LG PENT C'SK SCREW

COMPILED AB	REV	0	1							
	ECN	1548	1677							
DATE: 18/02/08	SIG.	AB	DB							
	DATE:	18/02/08	16/05/13							



Mystical World

Knight's Drawbridge

PROD. CODE	6400-055
SIZE	643 x 1093 x 1153
AGE RANGE	3 to 8 years old
F/ FALL HEIGHT	900mm
HEAVIEST PART	Approx 56.5 kg
TOTAL WEIGHT	Approx 59 kg



DELIVERY LIST

QTY	PART No	DESCRIPTION
1	6400-055	Knight's Drawbridge

SPECIFICATION

Solid Steel components to BS 970 Pt 1
 Steel Nominal Bore Tube (medium) to BS 1387
 RHS to BS 4848 Pt 2
 Mild steel 3mm chequer plate
 Logs made from dia 72 half round recycled plastic
 Non-standard fixings are anti-vandal and corrosion resistant
 Welds are from copper-free wire to BS EN 440
 Low lead polyester powder paint to BS 71 Pt 3

INSTALLATION INSTRUCTIONS



- 1 Read instruction thoroughly before commencing installation of unit
- 2 Position drawbridge on unit and secure using fixings to towers
- 3 Fit clamps, ensuring there is no unnecessary strain on the clamps. Clamps are not supplied with accessory but with unit


Note

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE

Foundation Details

(Care must be taken in abnormal conditions)






PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	4201-266	BRIDGE FRAME
2	5	3730-087	PLASTIC LOG
3	10	2900-041	FIXING WASHER
4	10	2177-002	M10 Safety Fastener
5	4	2176-129	M10 x 50 Pent Button Head
6	10	2176-126	M10 x 25 Pent Button Head

COMPILED AB	REV	0	1							
	ECN	1548	1610							
DATE: 19/02/08	SIG.	AB	AB							
	DATE:	19/02/08	20/05/10							

		
DELIVERY LIST		
QTY	PART No	DESCRIPTION
1	4201-271	WELDED 3-RUNG LADDER

Mystical World	
Zodiac 3-Rung Ladder	
PROD. CODE	6400-061
SIZE	643 x 550 x 1410
AGE RANGE	3 to 8 years old
F/ FALL HEIGHT	900mm
HEAVIEST PART	N/A
TOTAL WEIGHT	Approx 22 kg
	

SPECIFICATION

Solid steel components to BS 970 Pt 1
 Steel Nominal Bore Tube (medium) to BS 1387
 Welds are from copper-free wire to BS EN 440
 Low lead polyester powder paint to BS 71 Pt 3

INSTALLATION INSTRUCTIONS


- 1 Read instruction thoroughly before commencing installation of unit
- 2 Excavate foundations as shown in foundation plan
- 3 Position ladder on bricks in the excavated holes, ensuring it is plumb, square, at the correct height, distance and orientation
- 4 Fit clamps, ensuring there is no unnecessary strain on the clamps. Clamps are not supplied with accessory but with unit
- 5 Backfill both holes with 0.032 cubic m concrete (4 parts gravel/2 parts sand/1 part cement)
- 6 Allow concrete to set for 48 hours


Note

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE

Foundation Details

(Care must be taken in abnormal conditions)






PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	4201-271	WELDED 3-RUNG LADDER
FOR BARK FIX ADD			
ITEM	QTY	PART NUMBER	DESCRIPTION
2	4	5071-028	Z-SHAPED BELOW GROUND FIXING
3	4	2175-116	M10 x 30 LG HEX HD SCREW
4	4	2193-006	M10 Nut

COMPILED AB	REV	0	1	2						
	ECN	1548	minor	Minor						
DATE: 26/02/08	SIG.	AB	TE	MC						
	DATE:	26/02/08	09/07/10	05/07/17						



DELIVERY LIST

QTY	PART No	DESCRIPTION
1	6400-064	Giant's Slide
1		Fixing Pack

Mystical World Giant's Slide

PROD. CODE	6400-064
SIZE	495 x 1604 x 2023
AGE RANGE	3 to 8 years old
F/ FALL HEIGHT	900mm
HEAVIEST PART	Approx 12.4 kg
TOTAL WEIGHT	Approx 32.2 kg



SPECIFICATION

Solid steel components to BS 970 Pt 1

RHS to BS 4848 Pt 2

Stainless steel 2mm thick to BS 1449 Pt 2

19mm thick HD polyethylene 100% recyclable non-toxic and complies with EN71

Non-standard fixings are anti-vandal and corrosion resistant

Welds are from copper-free wire to BS EN 440

Low lead polyester powder paint to BS 71 Pt 3

INSTALLATION INSTRUCTIONS


- 1 Read instructions thoroughly before commencing installation of unit
- 2 Excavate foundations as shown in the foundation plan
- 3 Position the slide on bricks in the excavated hole, ensuring it is plumb, square, at the correct height, distance and orientation and attach to tower as shown
- 4 Fit clamps, ensuring there is no unnecessary strain on the clamps. Clamps are not supplied with accessory but with unit
- 5 Backfill with 0.063 cubic m concrete (4 parts gravel/2 parts sand/1 part cement)
- 6 Allow concrete to set for 48 hours

Note In accordance with 6.1.3 EN1176-1:2008 we recommend that slides do not face south or near due south due to heat build up.

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE


Foundation Details

(Care must be taken in abnormal conditions)




PANEL FIXING


NOTE: There should be no gaps between panels or between slide chute and panels. All panels & slide chute should fit fully into recesses. No gaps must remain after installation!



Slide start panel is recessed to take slide side panels.


Side panels must sit back fully into start panel recess





Detail B

Slide chute and side panels not shown




PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	4201-275	HIGH WELDED CHUTE
2	2	4201-211	SLIDE GROUND FIXING
3	1	3755-589	SLIDE START PANEL
4	1	3755-628	LH CHUTE PANEL
5	1	3755-627	RH CHUTE PANEL
6	4	2900-057	FIXING BRACKET (RED)
7	2	2900-041	FIXING WASHER
8	2	2611-029_Cup	Yellow Poepplemann Cup
9	2	2611-029_Cap	Yellow Poepplemann Cap
10	2	2472-003	FIXING SPACER
11	4	2215-508	M10 Washer
12	22	2215-507	M8 Washer
13	2	2185-037	M10 x 45 Hex Head Bolt
14	4	2177-004	M8 Short Safety Fastener
15	2	2177-002	M10 Safety Fastener
16	18	2177-001	M8 Safety Fastener
17	4	2176-155	M8 x 45 Pent Button Head
18	18	2176-151	M8 x 16 Pent Button Head

FOR BARK FIX ADD

ITEM	QTY	PART NUMBER	DESCRIPTION
19	4	5071-028	Z-SHAPED BELOW GROUND FIXING
20	4	2175-116	M10 x 30 LG HEX HD SCREW
21	4	2193-006	M10 Nut

COMPILED AB	REV	0	1	2	3	4	5	6	7	
	ECN	1548	minor	1658	Minor	1671	1677	1699	Minor	
DATE: 27/02/08	SIG.	AB	TE	DB	DB	DB	DB	DB	MC	
	DATE:	27/02/08	12/07/10	10/05/12	03/09/12	23/11/12	30/04/13	06/11/14	18/08/15	



DELIVERY LIST

QTY	PART No	DESCRIPTION
1	3755-935	CLIMBING PANEL
1		Fixing Pack

Mystical World

Cross-Eyed Tall Climber

PROD. CODE	6400-067
SIZE	19 x 495 x 1918
AGE RANGE	3 to 8 years old
F/ FALL HEIGHT	900mm
HEAVIEST PART	Approx 12.95 kg
TOTAL WEIGHT	Approx 13.1 kg



SPECIFICATION

15mm thick HD polyethylene 100% recyclable non-toxic and complies with En 71
Non-standard fixings are anti-vandal and corrosion resistant


INSTALLATION INSTRUCTIONS

- 1 Read instructions thoroughly before commencing installation of unit
- 2 Fit clamps to tower
- 3 Position panel on tower and fix to tower and clamps, ensuring there is no unnecessary strain on the clamps. Clamps not supplied with accessory but with unit

Note

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE


Tower position



PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3755-935	CLIMBING PANEL
2	2	2900-041	FIXING WASHER
3	2	2611-029_Cup	Yellow Poepplemann Cup
4	2	2611-029_Cap	Yellow Poepplemann Cap
5	2	2472-009	FIXING SPACER (15 panel)
6	2	2185-037	M10 x 45 Hex Head Bolt
7	2	2177-002	M10 Safety Fastener

COMPILED AB	REV	0	1	2						
	ECN	1548	1677	1699						
DATE: 28/02/08	SIG.	AB	DB	DB						
	DATE:	28/02/08	30/04/13	06/11/14						



DELIVERY LIST

QTY	PART No	DESCRIPTION
1	6400-070	Revolving Eyes Panel
1		Fixing pack

Mystical World

Revolving Eyes Panel

PROD. CODE	6400-070
SIZE	85 x 495 x 1148
AGE RANGE	3 to 8 years old
F/ FALL HEIGHT	N/A
HEAVIEST PART	Approx 9.7 kg
TOTAL WEIGHT	Approx 11 kg



SPECIFICATION

15 and 12.5mm thick HD polyethylene 100% recyclable non-toxic and complies with EN 71

Non-standard fixings are anti-vandal and corrosion resistant


INSTALLATION INSTRUCTIONS

- 1 Read instructions thoroughly before commencing installation of unit
- 2 Fit clamps to tower
- 3 Fit panel to tower and clamps, ensuring there is no unnecessary strain on the clamps. Clamps are not supplied with accessory but with unit


Note

Revolving Eyes Panel may be fitted to either the Mystical Square Tower or the Mystical Hexagon Tower

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE



Tower Position



Fitted behind
tower deck frame

Tower deck fixings


Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3755-934	REVOLVING EYES PANEL
2	2	3755-161	SPINNING EYE
3	2	3755-160	SPIRAL EYE
6	2	2900-041	FIXING WASHER
7	2	2611-034_Cup	White Poeppelmann Cup
8	2	2611-034_Cap	White Poeppelmann Cup
9	2	2611-033_Cup	Green Poeppelmann Cup
10	2	2611-033_Cap	Green Poeppelmann Cap
11	2	2611-031_Cup	Black Poeppelmann Cup
12	2	2611-031_Cap	Black Poeppelmann Cap
14	4	2472-009	FIXING SPACER (15 panel)
15	2	2215-508	M10 Washer
16	2	2185-037	M10 x 45 Hex Head Bolt
17	2	2177-002	M10 Safety Fastener
18	2	2177-001	M8 Safety Fastener
19	2	2176-155	M8 x 45 Pent Button Head

COMPILED AB	REV	0	1	2						
	ECN	1548	1677	1699						
DATE: 28/02/08	SIG.	AB	DB	DB						
	DATE:	28/02/08	08/05/13	06/11/14						

Mystical World

Fortune Tellers Window

PROD. CODE	6400-130
SIZE	495 x 1148
AGE RANGE	
F/ FALL HEIGHT	N/A
HEAVIEST PART	
TOTAL WEIGHT	Approx 6.6 kg



SPECIFICATION



15mm thick HD polyethylene 100% recyclable non toxic and complies with EN 71

INSTALLATION INSTRUCTIONS

1. Read instructions thoroughly before commencing installation of unit.
2. Fit clamps to tower.
3. Fit barrier to clamps an tower as shown.


Note

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE!



PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3755-684	SHORT MYSTIC MARY PANEL
2	2	2900-041	FIXING WASHER
3	2	2611-033_Cup	Green Poeppelmann Cup
4	2	2611-033_Cap	Green Poeppelmann Cap
5	2	2472-009	FIXING SPACER (15 panel)
6	2	2185-037	M10 x 45 Hex Head Bolt
7	2	2177-002	M10 Safety Fastener

COMPILED DB	REV	0	1	2						
	ECN	1649	1677	1699						
DATE: 20/01/2012	SIG.	DB	DB	DB						
	DATE:	27/02/12	08/05/13	06/11/14						



Mystical World

Marie Celeste

PROD. CODE	6400-131
SIZE	89 x 495 x 1172.5
AGE RANGE	3 to 8 years old
F/ FALL HEIGHT	N/A
HEAVIEST PART	Approx 9.5 kg
TOTAL WEIGHT	Approx 10.5 kg



SPECIFICATION

15mm thick HD polyethylene 100% recyclable non-toxic and complies with EN 71
Non-standard fixings are anti-vandal and corrosion resistant



INSTALLATION INSTRUCTIONS

- 1 Read instructions thoroughly before commencing installation of unit
- 2 Fit clamps to tower
- 3 Fit panel to tower and clamps, ensuring there is no unnecessary strain on clamps. Clamps not supplied with accessory but with unit

Note

Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE!


Tower Position



Fitted from behind
tower deck strut

Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3755-937	SHORT GHOST SHIP PANEL
2	1	3755-686	SHIP'S WHEEL
3	2	2900-041	FIXING WASHER
4	2	2611-032_Cup	Blue Poeppelmann Cup
5	2	2611-032_Cap	Blue Poeppelmann Cap
6	1	2611-029_Cup	Yellow Poeppelmann Cup
7	1	2611-029_Cap	Yellow Poeppelmann Cap
8	1	2571-011	M8 Fibre Washer
9	2	2472-009	FIXING SPACER (15 panel)
10	1	2215-507	M8 Washer
11	1	2191-009	M8 Binx Nut
12	2	2185-037	M10 x 45 Hex Head Bolt
13	2	2177-002	M10 Safety Fastener
14	1	2176-231	M8 x 45 LG PENT C'SK SCREW

COMPILED DB	REV	0	1	2						
	ECN	1649	1677	1699						
DATE: 28/02/12	SIG.	DB	DB	DB						
	DATE:	28/02/12	13/05/13	06/11/14						



Mystical World	
Barriers	
PROD. CODE	6400-***
SIZE	Varies
AGE RANGE	
F/ FALL HEIGHT	N/A
HEAVIEST PART	Approx 8.8 kg
TOTAL WEIGHT	
	

SPECIFICATION

15mm thick HD polyethylene 100% recyclable non-toxic and complies with EN 71

INSTALLATION INSTRUCTIONS


- 1 Read instructions thoroughly before commencing installation of unit
- 2 Fit clamps to tower
- 3 Fit barrier to clamps and tower as shown

Note


Note ENSURE ALL INSTALLATION AIDS ARE REMOVED BEFORE FIRST USE




6400-083 = 3755-665
Diamond Barrier -
Orange/Black




6400-084 = 3755-676
Diamond Barrier -
Purple/Black




6400-085 = 3755-655
Echo Barrier -
Orange/Black




6400-086 = 3755-653
Echo Barrier -
Purple/Black



6400-087 = 3755-654
Swirl Barrier -
Orange/Black




6400-088 = 3755-656
Swirl Barrier -
Purple/Black




6400-123 = 3755-667
Echo Barrier -
Yellow/Black




6400-124 = 3755-675
Wide Echo Barrier -
Yellow/Black



6400-133 = 3755-666
Diamond Barrier -
Blue/Black




Fitted from behind
tower frame strut



PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	2900-041	FIXING WASHER
2	2	2611-031_Cup	Black Poepplemann Cup
3	2	2611-031_Cap	Black Poepplemann Cap
4	2	2472-009	FIXING SPACER (15 panel)
5	2	2185-037	M10 x 45 Hex Head Bolt
6	2	2177-002	M10 Safety Fastener

COMPILED AB	REV	0	1	2						
	ECN	1548	1649	1677						
DATE: 25/04/08	SIG.	AB	DB	DB						
	DATE:	25/04/08	27/02/12	29/04/13						



Mystical World

Accessory Clamps

PROD. CODE	5400-001 to -017
SIZE	
AGE RANGE	N/A
F/ FALL HEIGHT	N/A
HEAVIEST PART	
TOTAL WEIGHT	



SPECIFICATION

Clamp parts are made from ??


Standard fixings are plated and made to one of the following standards BS 3692 (1967) BS 4190 (1967)

INSTALLATION INSTRUCTIONS

- 1 Read instructions thoroughly before fitting clamp
- 2 Fit clamp assemblies together as shown
- 3 Ensure gaskets are fitted. This reduces gap between clamp parts
- 4 Ensure logos on fixing caps are correctly orientated (i.e. vertically) and on clamp caps is aligned with accessory
- 5 Ensure bolts are tight (?? Nm torque)

Note

Note




Ensure gaskets are fitted

Ensure logos on caps are correctly orientated

5400-001 Accessory Clamp

PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3730-109	CLAMP CAP
2	2	3730-107	FIXING CAP
3	4	3730-106	GASKET
4	1	3730-102	MIDDLE CLAMP
5	2	3730-101	END CLAMP
6	2	2215-508	M10 Washer
7	1	2191-010	M10 Binx Nut
8	1	2185-049	M10x140 Hex Head Bolt



Ensure gaskets are fitted


Ensure logos on caps are correctly orientated

Fit clamp to tower before fitting panel

5400-002

Square Panel Clamp

PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	3730-108	FIXING CUP
2	4	3730-107	FIXING CAP
3	2	3730-106	GASKET
4	1	3730-103	FLAT CLAMP
5	1	3730-101	END CLAMP
6	4	2215-508	M10 Washer
7	2	2191-010	M10 Binx Nut
8	1	2185-041	M10 x 65 Hex Head Bolt
9	1	2185-039	M10 x 55 Hex Head Bolt




Ensure gaskets are fitted

Ensure logos on caps are correctly orientated

Fit clamp to tower before fitting panel


5400-003 Square Panel/Accessory Clamp

PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3730-109	CLAMP CAP
2	2	3730-108	FIXING CUP
3	4	3730-107	FIXING CAP
4	4	3730-106	GASKET
5	1	3730-103	FLAT CLAMP
6	1	3730-102	MIDDLE CLAMP
7	1	3730-101	END CLAMP
8	4	2215-508	M10 Washer
9	2	2191-010	M10 Binx Nut
10	1	2185-049	M10x140 Hex Head Bolt
11	1	2185-039	M10 x 55 Hex Head Bolt




PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3730-110	HEX FIXING CAP
2	4	3730-108	FIXING CUP
3	5	3730-107	FIXING CAP
4	2	3730-106	GASKET
5	1	3730-104	VERTICAL CLAMP
6	1	3730-103	FLAT CLAMP
7	5	2215-508	M10 Washer
8	3	2191-010	M10 Binx Nut
9	1	2185-041	M10 x 65 Hex Head Bolt
10	1	2185-039	M10 x 55 Hex Head Bolt
11	1	2185-038	M10 x 50 Hex Head Bolt




PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	4	3730-108	FIXING CUP
2	6	3730-107	FIXING CAP
3	2	3730-106	GASKET
4	1	3730-105	ANGLE CLAMP
5	1	3730-103	FLAT CLAMP
6	6	2215-508	M10 Washer
7	3	2191-010	M10 Binx Nut
8	1	2185-041	M10 x 65 Hex Head Bolt
9	2	2185-039	M10 x 55 Hex Head Bolt



PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3730-110	HEX FIXING CAP
2	1	3730-109	CLAMP CAP
3	2	3730-108	FIXING CUP
4	3	3730-107	FIXING CAP
5	4	3730-106	GASKET
6	1	3730-104	VERTICAL CLAMP
7	1	3730-102	MIDDLE CLAMP
8	1	3730-101	END CLAMP
9	3	2215-508	M10 Washer
10	2	2191-010	M10 Binx Nut
11	1	2185-049	M10x140 Hex Head Bolt
12	1	2185-038	M10 x 50 Hex Head Bolt




Ensure gaskets are fitted

Ensure logos on caps are
correctly orientated

5400-007

Inline Double Accessory Clamp

PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	3730-109	CLAMP CAP
2	2	3730-107	FIXING CAP
3	6	3730-106	GASKET
4	2	3730-102	MIDDLE CLAMP
5	2	3730-101	END CLAMP
6	3	2215-508	M10 Washer
7	1	2191-010	M10 Binx Nut
8	1	2185-055	M10 x 220 Hex Head Bolt



5400-008


60° Panel Clamp

Ensure gaskets are fitted

Ensure logos on caps are correctly orientated

Fit clamp to tower before fitting panel

PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	3730-108	FIXING CUP
2	4	3730-107	FIXING CAP
3	2	3730-106	GASKET
4	1	3730-105	ANGLE CLAMP
5	1	3730-101	END CLAMP
6	4	2215-508	M10 Washer
7	2	2191-010	M10 Binx Nut
8	1	2185-041	M10 x 65 Hex Head Bolt
9	1	2185-039	M10 x 55 Hex Head Bolt



Ensure gaskets are fitted

Ensure logos on caps are correctly orientated


Fit clamp to tower before fitting panel

5400-009 90° Panel Clamp

PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3730-110	HEX FIXING CAP
2	2	3730-108	FIXING CUP
3	3	3730-107	FIXING CAP
4	2	3730-106	GASKET
5	1	3730-104	VERTICAL CLAMP
6	1	3730-101	END CLAMP
7	3	2215-508	M10 Washer
8	2	2191-010	M10 Binx Nut
9	1	2185-041	M10 x 65 Hex Head Bolt
10	1	2185-038	M10 x 50 Hex Head Bolt


5400-010

60° Panel/Accessory Clamp



PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3730-109	CLAMP CAP
2	2	3730-108	FIXING CUP
3	4	3730-107	FIXING CAP
4	4	3730-106	GASKET
5	1	3730-105	ANGLE CLAMP
6	1	3730-102	MIDDLE CLAMP
7	1	3730-101	END CLAMP
8	4	2215-508	M10 Washer
9	2	2191-010	M10 Binx Nut
10	1	2185-049	M10x140 Hex Head Bolt
11	1	2185-039	M10 x 55 Hex Head Bolt




Ensure gaskets are fitted

Ensure logos on caps are correctly orientated

Fit clamp to tower before fitting panel

5400-011 90° Panel Clamp

Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3730-110	HEX FIXING CAP
2	2	3730-108	FIXING CUP
3	3	3730-107	FIXING CAP
4	2	3730-106	GASKET
5	1	3730-104	VERTICAL CLAMP
6	1	3730-101	END CLAMP
7	3	2215-508	M10 Washer
8	2	2191-010	M10 Binx Nut
9	1	2185-041	M10 x 65 Hex Head Bolt
10	1	2185-037	M10 x 45 Hex Head Bolt



Ensure gaskets are fitted


Ensure logos on caps are correctly orientated

Fit clamp to tower before fitting panel

5400-012

Square Panel Clamp

Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	3730-108	FIXING CUP
2	4	3730-107	FIXING CAP
3	2	3730-106	GASKET
4	1	3730-103	FLAT CLAMP
5	1	3730-101	END CLAMP
6	4	2215-508	M10 Washer
7	2	2191-010	M10 Binx Nut
8	1	2185-041	M10 x 65 Hex Head Bolt
9	1	2185-038	M10 x 50 Hex Head Bolt



5400-013

90° Panel/Panel Clamp


Ensure gaskets are fitted

Ensure logos on caps are correctly orientated

Fit clamp to tower before fitting panel

Parts List

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3730-110	HEX FIXING CAP
2	4	3730-108	FIXING CUP
3	5	3730-107	FIXING CAP
4	2	3730-106	GASKET
5	1	3730-104	VERTICAL CLAMP
6	1	3730-103	FLAT CLAMP
7	5	2215-508	M10 Washer
8	3	2191-010	M10 Binx Nut
9	1	2185-041	M10 x 65 Hex Head Bolt
10	1	2185-038	M10 x 50 Hex Head Bolt
11	1	2185-037	M10 x 45 Hex Head Bolt



Ensure gaskets are fitted

Ensure logos on caps are correctly orientated


Fit clamp to tower before fitting panel

5400-014

60° Panel/Panel Clamp

Parts List

ITEM	QTY	PART NUMBER	DESCRIPTION
1	4	3730-108	FIXING CUP
2	6	3730-107	FIXING CAP
3	2	3730-106	GASKET
4	1	3730-105	ANGLE CLAMP
5	1	3730-103	FLAT CLAMP
6	6	2215-508	M10 Washer
7	3	2191-010	M10 Binx Nut
8	1	2185-041	M10 x 65 Hex Head Bolt
9	2	2185-038	M10 x 50 Hex Head Bolt



Ensure gaskets are fitted


Ensure logos on caps are correctly orientated

Fit clamp to tower before fitting panel

5400-015

Inline Panel/Accessory Clamp

Parts List			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3730-110	HEX FIXING CAP
2	1	3730-109	CLAMP CAP
3	2	3730-108	FIXING CUP
4	3	3730-107	FIXING CAP
5	4	3730-106	GASKET
6	1	3730-104	VERTICAL CLAMP
7	1	3730-102	MIDDLE CLAMP
8	1	3730-101	END CLAMP
9	3	2215-508	M10 Washer
10	2	2191-010	M10 Binx Nut
11	1	2185-049	M10x140 Hex Head Bolt
12	1	2185-037	M10 x 45 Hex Head Bolt



Ensure gaskets are fitted

Ensure logos on caps are correctly orientated

Fit clamp to tower before fitting panel

5400-016


60° Panel Clamp

Parts List

ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	3730-108	FIXING CUP
2	4	3730-107	FIXING CAP
3	2	3730-106	GASKET
4	1	3730-105	ANGLE CLAMP
5	1	3730-101	END CLAMP
6	4	2215-508	M10 Washer
7	2	2191-010	M10 Binx Nut
8	1	2185-041	M10 x 65 Hex Head Bolt
9	1	2185-038	M10 x 50 Hex Head Bolt


5400-017

60° Panel/Accessory Clamp




Parts List


ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	3730-109	CLAMP CAP
2	2	3730-108	FIXING CUP
3	4	3730-107	FIXING CAP
4	4	3730-106	GASKET
5	1	3730-105	ANGLE CLAMP
6	1	3730-102	MIDDLE CLAMP
7	1	3730-101	END CLAMP
8	4	2215-508	M10 Washer
9	2	2191-010	M10 Binx Nut
10	1	2185-049	M10x140 Hex Head Bolt
11	1	2185-038	M10 x 50 Hex Head Bolt




END CLAMP
3730-101




MIDDLE CLAMP
3730-102



FLAT CLAMP
3730-103



VERTICAL CLAMP
3730-104




ANGLE CLAMP
3730-105



GASKET
3730-106



FIXING CAP
3730-107



FIXING CUP
3730-108



CLAMP CAP
3730-109



HEX FIXING CAP
3730-110

COMPILED AB	REV	0	1						
	ECN	1548	1677						
DATE: 30/07/08	SIG.	AB	DB						
	DATE:	30/07/08	03/06/13						

DESPATCH LIST

Sheet 1 of 2

Product: 640-LEGE Legendary Empire

Date of Issue: 06/05/09

Order No:

Issue:

Item	Unit Qty	Description	Part No.	Checked
		Items marked * to be fitted before despatch		
1	1	Diamond Barrier Panel (Orange)	3755-665	
2	1	Fotune Tellers Window Panel	3755-684	
3	1	Marie Celeste Panel	3755-397	
4	1	Ships Wheel *	3755-686	
5	1	Revolving Eyes Panel	3755-934	
6	2	Spinning Eye *	3755-161	
7	2	Spiral Eye *	3755-160	
8	1	Climbing Panel (Cross-Eyed Climber)	3755-935	
9	1	High Welded Chute *	4201-275	
10	2	Slide Ground Fixing	4201-211	
11	1	Slide Start Panel	3755-589	
12	1	LH Chute Panel *	3755-628	
13	1	RH Chute Panel *	3755-627	
14	1	Welded 3-Rung Ladder (Zodiac 3-Rung Ladder)	4201-271	
15	1	Bridge Frame (Knight's Drawbridge)	4201-266	
16	5	Plastic Log *	3730-087	
17	1	Welded Frame (She-Devil's Catwalk)	4201-265	
18	1	Long Plank *	3755-701	
19	1	Welded Frame (Cosmic Low Ramp)	4201-262	
20	1	Climbing Panel (Cosmic Low Ramp) *	3755-680	
21	1	Hexagon Tower	4201-331	
22	2	Square Tower Leg Assembly	4201-260	
23	1	Echo Barrier Panel (Orange)	3755-655	

Total No. of Items

Picked By:

Checked By:

COMPILED BY: AB	REV ECN No.	2 1548	3 Minor	4 minor	5 minor	6 1610	7 1658
DATE: 27/03/08	DATE	06/05/2009	21/07/2009	21/09/2009	03/03/2010	20/05/2010	14/05/2012
	SIGN	AB	DB	AB	AB	AB	DB
	REV	8	9	10			
	ECN No.	1671	1677	1699			
	DATE	02/01/2013	28/05/2013	13/11/2014			
	SIGN	DB	DB	DB			

DESPATCH LIST

Sheet 2 of 2

Product: 640-LEGE Legendary Empire

Date of Issue: 06/05/09

Order No:

Issue:

Item	Unit Qty	Description	Part No.	Checked
24	1	Welded Assembly (Stellar Low Spiral Riser)	4201-257	
25	3	Access Step *	3755-699	
26	1	Fixing pack		
		Items marked * to be fitted before despatch		

Total No. of Items

Picked By:

Checked By:

COMPILED	REV	2	3	4	5	6	7
BY: AB	ECN No.	1548	Minor	minor	minor	1610	1658
DATE: 27/03/08	DATE	06/05/2009	21/07/2009	21/09/2009	03/03/2010	20/05/2010	14/05/2012
	SIGN	AB	DB	AB	AB	AB	DB
	REV	8	9	10			
	ECN No.	1671	1677	1699			
	DATE	02/01/2013	28/05/2013	13/11/2014			
	SIGN	DB	DB	DB			

FIXINGS LIST

Sheet 1 of 6

Product: 640-LEGE Legendary Empire

Date of Issue: 06/05/09

Order No:

Issue:

Item	Unit Qty	Description	Part No.	Checked
		Diamond Barrier Assembly		
1	2	Fixing Washer	2900-041	
2	2	Black Poeppelmann Cup	2611-031	
3	2	Black Poeppelmann Cap	2611-031	
4	2	Fixing Spacer (15 Panel)	2472-009	
5	2	M10 x 45 Hex Head Screw	2185-037	
6	2	M10 Safety Fastener	2177-002	
		Marie Celeste		
7	1	M8 Fibre Washer *	2571-011	
8	1	M8 Binx Nut *	2191-009	
9	1	M8 x 45 Lg Pent C'sk Screw *	2176-231	
10	1	M8 Washer *	2215-507	
11	1	Yellow Poeppelmann Cap *	2611-029_Cap	
12	1	Yellow Poeppelmann Cup *	2611-029_Cup	
13	2	M10 Safety Fastener	2177-002	
14	2	Blue Poeppelmann Cap	2611-032_Cap	
15	2	Blue Poeppelmann Cup	2611-032_Cup	
16	2	M10 x 45 Hex Head Bolt	2185-037	
17	2	Fixing Washer	2900-041	
18	2	Fixing Spacer (15 Panel)	2472-009	
		Items marked * to be fitted before despatch		

Total No. of Items

Picked By:

Checked By:

COMPILED BY: AB	REV	2	3	4	5	6	7
	ECN No.	1548	Minor	minor	minor	1610	Minor
DATE: 27/03/08	DATE	06/05/2009	21/07/2009	21/09/2009	03/03/2010	20/05/2010	12/06/2012
	SIGN	AB	DB	AB	AB	AB	MC
	REV	8	9	10	11	12	
	ECN No.	1671	1677	minor	1699	minor	
	DATE	02/01/2012	28/05/2013	14/10/2014	13/11/2014	08/09/2017	
	SIGN	DB	DB	PG	DB	AB	

FIXINGS LIST

Sheet 2 of 6

Product: 640-LEGE Legendary Empire

Date of Issue: 06/05/09

Order No:

Issue:

Item	Unit Qty	Description	Part No.	Checked
		Revolving Eyes Panel		
19	2	Fixing Washer	2900-041	
20	4	Black Poeppelmann Cup *	2611-031_Cup	
21	4	Black Poeppelmann Cap *	2611-031_Cap	
22	2	Green Poeppelmann Cup	2611-033_Cup	
23	2	Green Poeppelmann Cap	2611-033_Cap	
24	4	Fixing Spacer (15 Panel) (2 off *)	2472-009	
25	2	M10 Washer *	2215-508	
26	2	M10 x 45 Hex Head Screw	2185-037	
27	2	M10 Safety Fastener	2177-002	
28	2	M8 Safety Fastener *	2177-001	
29	2	M8 x 45 Pent Button Head Screw *	2176-155	
		Cosmic Low Ramp		
30	4	Black Poeppelmann Cup *	2611-031	
31	4	Black Poeppelmann Cap *	2611-031	
32	4	Fixing Spacer (15 Panel) *	2472-009	
33	4	M10 Washer *	2215-508	
34	2	M10 x 50 Pent Button Head Screw	2176-129	
35	4	M10 x 30 Hex Head Screw *	2175-116	
36	4	Fixing Washers	2900-041	
		Items marked * to be fitted before despatch		

Total No. of Items

Picked By:

Checked By:

COMPILED BY: AB	REV ECN No.	2 1548	3 Minor	4 minor	5 minor	6 1610	7 Minor
DATE: 27/03/08	DATE	06/05/2009	21/07/2009	21/09/2009	03/03/2010	20/05/2010	12/06/2012
	SIGN	AB	DB	AB	AB	AB	MC
	REV ECN No.	8 1671	9 1677	10 minor	11 1699	12 minor	
	DATE	02/01/2013	28/05/2013	14/10/2014	13/11/2014	08/09/2017	
	SIGN	DB	DB	PG	DB	AB	

FIXINGS LIST

Sheet 3 of 6

Product: 640-LEGE Legendary Empire

Date of Issue: 06/05/09

Order No:

Issue:

Item	Unit Qty	Description	Part No.	Checked
		Giant's Slide		
37	4	Fixing Bracket (Red)	2900-057	
38	2	Fixing Washer	2900-041	
39	2	Yellow Poeppelmann Cup	2611-029_Cup	
40	2	Yellow Poeppelmann Cap	2611-029_Cap	
41	2	Fixing Spacer (18 Panel)	2472-003	
42	22	M8 Washer (10 off *)	2215-507	
43	2	M10 x 45 Hex Head Screw	2185-037	
44	2	M10 Safety Fastener	2177-002	
45	18	M8 Safety Fastener (10 off *)	2177-001	
46	4	M8 x 45 Pent Button Head Screw	2176-155	
47	18	M8 x 16 Pent Button Head Screw (10 off *)	2176-151	
48	4	M10 Washer	2215-508	
49	4	M8 Short Safety Fastener	2177-004	
		Knight's Drawbridge		
50	10	Fixing Washer *	2900-041	
51	10	M10 Safety Fastener *	2177-002	
52	4	M10 x 50 Pent Button Head Screw	2176-129	
53	10	M10 x 25 Pent Button Head Screw *	2176-126	
		Items marked * to be fitted before despatch		

Total No. of Items

Picked By:

Checked By:

COMPILED BY: AB	REV	2	3	4	5	6	7
	ECN No.	1548	Minor	minor	minor	1610	Minor
DATE: 27/03/08	DATE	06/05/2009	21/07/2009	21/09/2009	03/03/2010	20/05/2010	12/06/2012
	SIGN	AB	DB	AB	AB	AB	MC
	REV	8	9	10	11	12	
	ECN No.	1671	1677	minor	1699	minor	
	DATE	02/01/2013	28/05/2013	14/10/2014	13/11/2014	08/09/2017	
	SIGN	DB	DB	PG	DB	AB	

FIXINGS LIST

Sheet 4 of 6

Product: 640-LEGE Legendary Empire

Date of Issue: 06/05/09

Order No:

Issue:

Item	Unit Qty	Description	Part No.	Checked
		Echo Barrier Assembly		
54	2	Fixing Washer	2900-041	
55	2	Black Poeppelmann Cup	2611-031	
56	2	Black Poeppelmann Cap	2611-031	
57	2	Fixing Spacer (15 Panel)	2472-009	
58	2	M10 x 45 Hex Head Screw	2185-037	
59	2	M10 Safety Fastener	2177-002	
		She-Devil's Catwalk		
60	4	M8 x 45 Pent C'sunk Head Screw *	2176-231	
61	4	M10 Washer *	2215-508	
62	4	M8 Safety Fastener *	2177-001	
		Fortune Tellers Window		
63	2	M10 Safety Fastener	2177-002	
64	2	Fixing Spacer (15 Panel)	2472-009	
65	2	Fixing Washer	2900-041	
66	2	Green Poepplemann Cup	2611-033_Cup	
67	2	Green Poepplemann Cap	2611-033_Cap	
68	2	M10 x 45 Hex Head Bolt	2185-037	
		Items marked * to be fitted before despatch		

Total No. of Items

Picked By:

Checked By:

COMPILED BY: AB	REV	2	3	4	5	6	7
	ECN No.	1548	Minor	minor	minor	1610	Minor
DATE: 27/03/08	DATE	06/05/2009	21/07/2009	21/09/2009	03/03/2010	20/05/2010	12/06/2012
	SIGN	AB	DB	AB	AB	AB	MC
	REV	8	9	10	11	12	
	ECN No.	1671	1677	minor	1699	minor	
	DATE	02/01/2012	28/05/2013	14/10/2014	13/11/2014	08/09/2017	
	SIGN	DB	DB	PG	DB	AB	

FIXINGS LIST

Sheet 5 of 6

Product: 640-LEGE Legendary Empire

Date of Issue: 06/05/09

Order No:

Issue:

Item	Unit Qty	Description	Part No.	Checked
		Stellar Low Spiral Riser		
69	9	M8 x 25 Hex C'sunk Head Screw	2171-179	
70	1	M10 Washer	2215-508	
71	1	M10 x 45 Pent Button Head Screw	2176-128	
		Cross-Eyed Tall Climber		
72	2	Fixing Washer	2900-041	
73	2	Yellow Poeppelmann Cup	2611-029_Cup	
74	2	Yellow Poeppelmann Cap	2611-029_Cap	
75	2	Fixing Spacer (15 Panel)	2472-009	
76	2	M10 x 45 Hex Head Screw	2185-037	
77	2	M10 Safety Fastener	2177-002	
78	6	60° Panel/Accessory Clamp (15 Panel)	5400-017	
79	4	Inline Panel/Accessory Clamp (15 Panel)	5400-015	
80	1	90° Panel/Panel Clamp (15 Panel)	5400-013	
81	1	Square Panel Clamp (15 Panel)	5400-012	
82	1	90° Panel Clamp (15 Panel)	5400-011	
83	2	60° Panel Clamp (15 Panel)	5400-016	
83A	1	Accessory clamp	5400-001	
84	24	Insert Plug	2611-017	
85	2	M10 Pent Key	2372-008	
86	1	M8 Allen Key c/w Pin	2372-023	

Total No. of Items

Picked By:

Checked By:

COMPILED BY: AB	REV	2	3	4	5	6	7
	ECN No.	1548	Minor	minor	minor	1610	Minor
DATE: 27/03/08	DATE	06/05/2009	21/07/2009	21/09/2009	03/03/2010	20/05/2010	12/06/2012
	SIGN	AB	DB	AB	AB	AB	MC
	REV	8	9	10	11	12	
	ECN No.	1671	1677	minor	1699	minor	
	DATE	02/01/2013	28/05/2013	14/10/2014	13/11/2014	08/09/2017	
	SIGN	DB	DB	PG	DB	AB	

FIXINGS LIST

Sheet 6 of 6

Product: 640-LEGE Legendary Empire

Date of Issue: 06/05/09

Order No:

Issue:

Item	Unit Qty	Description	Part No.	Checked
		For bark fix add items below		
87	34	Z-shaped below ground fixing	5071-028	
88	34	M10 x 30 hex head screw	2175-116	
89	34	M10 nut	2193-006	
		Items marked * to be fitted before despatch		

Total No. of Items

Picked By:

Checked By:

COMPILED	REV	9	10	11	12		
BY: AB	ECN No.	1677	minor	1699	minor		
DATE: 27/03/08	DATE	28/05/2013	14/10/2014	13/11/2014	08/09/2017		
	SIGN	DB	PG	DB	AB		