

Double Conic BXTS/TWIN/C



Standard Unit Dimensions:

Height to canopy: 2700mm
Overall Height: 5234mm

Lengths & Widths:

12000mm x 7000mm
13000mm x 10000mm
15000mm x 9000mm

Framework Colours/Finishes:

| | | |
|--------------------------------|-----------------------------|-------------------------------|
| Galvanised Only | RAL 9006 White Aluminium | RAL 7016 Anthracite Grey |
| BS 4800 10 A 07 Nimbus Grey | RAL 3020 Traffic Red | RAL 9005 Jet Black |
| BS 4800 14 C 39 Holly Green | RAL 1023 Traffic Yellow | BS 4800 00 A 05 Goose Grey |
| RAL 5015 Mid Blue | RAL 5013 Dark Blue | RAL 9016 Traffic White |

The colours shown are a guide only.
Please check a colour chart to see the actual colour.

Product Information

The Double Conic tensile canopy provides a large covered outdoor area. Available in white as standard.

Features

- Poles and frames galvanized - powder coated option available
- PVC Fabric available in white only
- Hot dipped galvanized steel fixings
- 100% waterproof fabric
- 100% UV protection

Materials Used

- Made from heavy-duty S355 steel section
- Hot dipped galvanized to BS EN ISO 1461:2009
- PVC waterproof fabric

Finish Options (Framework)

- Galvanised to BS EN ISO 1461:2009
- Galvanised to BS EN ISO 1461:2009 & Polyester Powder Coated

Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com



ISO 9001
Quality Management Systems
CERTIFIED

ISO 14001
Environmental Management
CERTIFIED

ISO 45001
Occupational Health and Safety Management
CERTIFIED



Double Conic BXTS/TWIN/C

Design Standards

- All structures are installed to tolerances in NSSS 7TH addition – Accuracy in Building, by CRB checked, professional installation teams
- BS EN 1993-1-1:2005 Eurocode 3 – Design of steel structures
- BS EN 1991-1-3:2003 Eurocode 1 – Snow Loads

Fire Resistance

- Fabric conforms to Euro class EN13501-1

Guarantees, Warranties, Design-Life and Life-Expectancies

- 25 year structural guarantee*
- 34 year (min) life expectancy for Hot Dip Galvanizing
- 8-10 year life expectancy on standard powder coatings
- 10-15 year life expectancy on Duplex (Zinc Coated) powder coatings
- 10 years' warranty* Ferrari 832
- 12 months' warranty* on parts & labour

*Maintenance and other qualifying criteria apply

Options

- Post protectors
- Framework powder coated to any standard RAL colour
- Full installation service

Standard Unit Dimensions:

Height to canopy: 2700mm
Overall Height: 5234mm

Lengths & Widths:


12000mm x 7000mm
13000mm x 10000mm
15000mm x 9000mm

Framework Colours/Finishes:

| | | |
|--------------------------------|-----------------|-----------------|
| | | |
| Galvanised Only | White Aluminium | Anthracite Grey |
| | | |
| BS 4800 10 A 07 Nimbus Grey | Traffic Red | Jet Black |
| | | |
| BS 4800 14 C 39 Holly Green | Traffic Yellow | Goose Grey |
| | | |
| RAL 5015 Mid Blue | Dark Blue | Traffic White |


The colours shown are a guide only.
Please check a colour chart to see the actual colour.

Diagram



Installation

Bolt Cluster
Cone Anchors



Broxap Limited, Rowhurst Industrial Estate, Chesterton, Newcastle-under-Lyme, Staffordshire, ST5 6BD T: 01782 564411 E: info@broxap.com W: www.broxap.com



ISO 9001
Quality Management Systems
CERTIFIED

ISO 14001
Environmental Management
CERTIFIED

ISO 45001
Occupational Health and Safety Management
CERTIFIED

