



MUST BE READ IN-CONJUNCTION WITH WORKS INSTRUCTION SHEET


OF

IF IN DOUBT ASK


NOTE:
 -PANELS ARE SUPPLIED PRE-GALV TO BS EN 10244-2:2001 CLASS D AND THEN SUBSEQUENTLY POWDER COATED
 -POSTS AND CLAMP FLATS ARE SUPPLIED HOT DIPPED GALVANISED TO BS EN 1461 THEN SUBSEQUENTLY POWDER COATED




EXTERNAL CORNER DETAIL




INTERNAL CORNER DETAIL




END DETAIL





90 DEG EXTERNAL CORNER DETAIL




90 DEG INTERNAL CORNER DETAIL




SECTION X-X




END ELEVATION




FRONT ELEVATION




END ELEVATION



CLAMP FLAT DETAIL



FRONT ELEVATION



END ELEVATION



PLAN
INTER/END POST DETAIL



PLAN
90° UNIVERSAL CORNER POST DETAIL

REV	DESCRIPTION OF CHANGE	NAME	DATE



Etna Works,
 Duke Street,
 Fenton,
 Stoke-on-Trent
 ST4 3NS
 Telephone- 01782 319 264
 E-MAIL-waynew@barkersfencing.com
 Web Site-barkersfencing.com

ALL DIMENSIONS IN MILLIMETRES UNLESS STATED OTHERWISE
 UPTO - 1000mm +/- 1.0mm
 NORMAL TOLERANCES UNLESS STATED OTHERWISE OVER - 1000mm +/- 2.0mm
 PLEASE NOTE THAT THIS ORDER WILL BE ACCEPTED BY US STRICTLY ON CONDITION THAT CONFORMITY TO ANY SPECIFICATION FOR THE GOODS OR MATERIALS, INCLUDING ANY RELEVANT PLANS OR DRAWINGS IS SUBJECT AT ALL TIMES TO THE APPLICABLE BRITISH STANDARD ROLLING DIMENSIONAL TOLERANCES (INCLUDING SIZE AND THICKNESS)
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE PROPERTY OF "BARKERS ENGINEERING LTD". COPYRIGHT IS RESERVED BY THEM AND THE CONTENT IS USED ON THE CONDITION THAT IT IS NOT COPIED, REPRODUCED, RETAINED OR DISCLOSED TO ANY UNAUTHORISED PERSON EITHER WHOLLY OR IN PART WITHOUT THE CONSENT IN WRITING OF "BARKERS ENGINEERING LTD".

MATERIAL
 AS ABOVE
 WELDING
 ALL WELDS AS SHOWN
 FINISH
 GALVANIZED TO BS EN 1461
 POWDERCOAT RAL xxxxx











TITLE
 TYPICAL DETAIL OF 1880 mm HIGH TWIN GUARD CLAMP SYSTEM
 C/W CONCRETE IN UNIVERSAL 60x40 RHS POSTS AND C FLAT
 CLIENT
 ORDER No
 DRAWN BY
 LUKE
 SCALE
 DO NOT
 CHECKED BY
 WAYNE
 13/06/19
 DATE
 CONTRACT No
 DWG No
 TG 1.88 60x40

MUST BE READ IN-CONJUNCTION WITH WORKS INSTRUCTION SHEET

OF

IF IN DOUBT - "ASK"

NOTE:
 -PANELS ARE SUPPLIED PRE-GALV TO BS EN 10244-2:2001 CLASS D AND THEN SUBSEQUENTLY POWDER COATED
 -POSTS AND CLAMP FLATS ARE SUPPLIED HOT DIPPED GALVANISED TO BS EN 1461 THEN SUBSEQUENTLY POWDER COATED



REVISIONS		
REV	DESCRIPTION OF CHANGE	DATE



Etna Works,
 Duke Street,
 Fenton,
 Stoke-on-Trent
 ST4 3NS
 Telephone- 01782 319 264
 E-MAIL-waynew@barkersfencing.com
 Web Site-barkersfencing.com

ALL DIMENSIONS IN MILLIMETRES UNLESS STATED OTHERWISE UPTO - 1000mm +/- 1.0mm
 NORMAL TOLERANCES UNLESS STATED OTHERWISE OVER - 1000mm +/- 2.0mm
 PLEASE NOTE THAT THIS ORDER WILL BE ACCEPTED BY US STRICTLY ON CONDITION THAT CONFORMITY TO ANY SPECIFICATION FOR THE GOODS OR MATERIALS, INCLUDING ANY RELEVANT PLANS OR DRAWINGS IS SUBJECT AT ALL TIMES TO THE APPLICABLE BRITISH STANDARD ROLLING DIMENSIONAL TOLERANCES (INCLUDING SIZE AND THICKNESS)
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE PROPERTY OF "BARKERS ENGINEERING LTD". COPYRIGHT IS RESERVED BY THEM AND THE CONTENT IS USED ON THE CONDITION THAT IT IS NOT COPIED, REPRODUCED, RETAINED OR DISCLOSED TO ANY UNAUTHORISED PERSON EITHER WHOLLY OR IN PART WITHOUT THE CONSENT IN WRITING OF "BARKERS ENGINEERING LTD".

MATERIAL
 AS ABOVE
 WELDING
 ALL WELDS AS SHOWN
 FINISH
 GALVANIZED TO BS EN 1461
 POWDERCOAT RAL xxxxx










TITLE
 TYPICAL DETAIL OF 2080 mm HIGH TWIN GUARD CLAMP SYSTEM
 C/W CONCRETE IN UNIVERSAL 60x40 RHS POSTS AND C FLAT
 CLIENT
 JOB No
 DRAWN BY
 LUKE
 SCALE
 DO NOT
 ORDER No
 CHECKED BY
 WAYNE
 DATE
 13.06.19
 DRAWING No
 TG 2.08 60x40

MUST BE READ IN-CONJUNCTION WITH WORKS INSTRUCTION SHEET

OF

IF IN DOUBT - "ASK"

NOTE:
 -PANELS ARE SUPPLIED PRE-GALV TO BS EN 10244-2:2001 CLASS D AND THEN SUBSEQUENTLY POWDER COATED
 -POSTS AND CLAMP FLATS ARE SUPPLIED HOT DIPPED GALVANISED TO BS EN 1461 THEN SUBSEQUENTLY POWDER COATED



REV	DESCRIPTION OF CHANGE	NAME	DATE



Etna Works,
 Duke Street,
 Fenton,
 Stoke-on-Trent
 ST4 3NS
 Telephone- 01782 319 264
 E-MAIL-waynew@barkersfencing.com
 Web Site-barkersfencing.com

ALL DIMENSIONS IN MILLIMETRES UNLESS STATED OTHERWISE UPTO - 1000mm +/- 1.0mm
 NORMAL TOLERANCES UNLESS STATED OTHERWISE OVER - 1000mm +/- 2.0mm
 PLEASE NOTE THAT THIS ORDER WILL BE ACCEPTED BY US STRICTLY ON CONDITION THAT CONFORMITY TO ANY SPECIFICATION FOR THE GOODS OR MATERIALS, INCLUDING ANY RELEVANT PLANS OR DRAWINGS IS SUBJECT AT ALL TIMES TO THE APPLICABLE BRITISH STANDARD ROLLING DIMENSIONAL TOLERANCES (INCLUDING SIZE AND THICKNESS)
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE PROPERTY OF "BARKERS ENGINEERING LTD". COPYRIGHT IS RESERVED BY THEM AND THE CONTENT IS USED ON THE CONDITION THAT IT IS NOT COPIED, REPRODUCED, RETAINED OR DISCLOSED TO ANY UNAUTHORISED PERSON EITHER WHOLLY OR IN PART WITHOUT THE CONSENT IN WRITING OF "BARKERS ENGINEERING LTD".

MATERIAL
 AS ABOVE
 WELDING
 ALL WELDS AS SHOWN
 FINISH
 GALVANIZED TO BS EN 1461
 POWDERCOAT RAL xxxxx

TITLE
 TYPICAL DETAIL OF 2480 mm HIGH TWIN GUARD CLAMP SYSTEM
 C/W CONCRETE IN UNIVERSAL 60x40 RHS POSTS AND C FLAT
 CLIENT
 JOB No
 DRAWN BY
 LUKE
 SCALE
 DO NOT
 ORDER No
 CHECKED BY
 MATT
 DATE
 13.06.19
 DRAWING No
 TG 2.48 60x40