

fire engine, solo



Age indication



Speed



Fitness



Social skills



Fine motor skills



Balance





Imagination

Scope of delivery

24x post structure: SW
 24x post base: galvanised steel
 10x platform structure: SW
 2x panel: HPL
 1x play panel slider: HPL
 1x play panel tube roll: HPL
 1x play panel steering wheel: HPL
 2x panel 112: HPL
 4x passage protection: stainless steel
 2x grip set: aluminium, plastic-coated
 1x climbing panel: HPL, climbing grips
 1x balancing beam: SW
 1x net bridge: SW, plastic-coated steel cable
 1x backrest: HPL
 1x seat board: HPL
 1x dashboard: HPL, plastic
 2x blue light: SW
 1x car body fire brigade car: SW, HPL
 3x lathe sliding roller shutter: SW
 1x turnable ladder: HPL
 1x vertical ladder: stainless steel
 1x fire fighter: SW, stainless steel, HPL

fittings: stainless steel



fire engine, solo



Technical data

	Material	SW pi
	Minimum space	10,23x4,66x3,25 m
	Impact protection net	39,5 m ²
	Free falling height	145 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least sand
	Largest section	171x159x2 cm
	Certificate	Z2_010651_0526_Rev00
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	19x CF or 19x PFs
	Fundamentlevel	ET 400
	Assembly	2 persons/7.5 h

Accessories

-  Slides for platform heights: 1x 145 cm
- Installation accessories e.g. PF
- Please order accessories separately to complete the appliance.



5 11 801 011 00

fire engine, solo



CO₂ emissions of the product

1624,8 kg

Material share of renewable raw materials

58%

Recyclate content

10%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024