

# play unit Sam, solo



Age indication



Speed



Fitness



Balance



Something new to



Living together





Social skills

## Scope of delivery

17x post construction: SW  
 17x post shoe: steel galvanised  
 6x platform construction: SW  
 2x adapter: SW  
 4x wall panel: HPL  
 4x walk-through protection leaf: stainless steel  
 1x step-through protection oblique: SW  
 3x set of grips: aluminium, plastic coated  
 1x house roof: HPL  
 1x suspension bridge oblique: SW, chain steel galvanised  
 2x cord protection: HPL  
 1x ladder: SW, rungs stainless steel  
 1x net ascent oblique: polyester-coated steel cable, stainless steel  
 1x net ascent vertical: polyester-coated steel cable  
 1x ramp: SW  
 1x slide entry plate: HPL  
 1x fireman's pole: stainless steel  
 1x saddle roof: HPL  
 1x play panel hole: HPL, perspex  
 1x play panel wavy grooves: HPL  
 1x play panel dice disc: HPL, steel galvanised










1x play panel counting rings: HPL, ROB  
 1x wobbly bridge oblique: SW, chain steel galvanised  
 2x access restriction: HPL  
 fittings: stainless steel














# play unit Sam, solo



## Technical data

	Material	SW pi
	Minimum space	9,70x9,82x3,32 m
	Impact protection net	59,0 m <sup>2</sup>
	Free falling height	145 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least sand
	mx. number of users	89
	Certificate	Z2_010651_0526_Rev00
	Tested according to standard	EN 1176 - 1/3/7

## Installation information




	Foundations	22x CF or 22x PFs
	Fundamentlevel	ET 400
	Assembly	2 persons/14 h
	PF Accessories	22x 5632540
	PF drainage	-
	PF concrete	-
	PF excavation	2,06 m <sup>3</sup>
	CF Accessories	-
	CF drainage	-
	CF concrete	1,20 m <sup>3</sup>
	CF excavation	2,80 m <sup>3</sup>

## Accessories

-  Slides for platform heights: 1x 145 cm
- Installation accessories e.g. PF
- Please order accessories separately to complete the appliance.



# 5 11 022 011 10 play unit Sam, solo



**Disclaimer:**

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at [gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/](https://gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/).

\* The CO<sub>2</sub>e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024