


5 55 313 011 00

balance Wobbly bridge Cha Cha Cha



Age indication



Fitness



Balance




Social skills



Senses

Scope of delivery







2x handrails: stainless steel
2x chain suspension: galvanised steel
2x crossbeam: softwood
7x steps: softwood














balance Wobbly bridge Cha Cha Cha



Technical data

	Material	SW pi
	Minimum space	5,24x3,95x2,25 m
	Impact protection net	-
	Free falling height	45 cm
	Ground constitution GE/NL/B	at least stone
	Ground constitution all except GE/NL/B	at least stone

Installation information

	Foundations	4x CF or 4x PFs
	Fundamentlevel	ET 400
	Assembly	1 person/2 h
	PF Accessories	4x 5632540
	PF drainage	-
	PF concrete	-
	PF excavation	0,92 m ³
	CF Accessories	4x 5631120
	CF drainage	-
	CF concrete	0,19 m ³
	CF excavation	0,45 m ³



5 55 313 011 00

balance Wobbly bridge Cha Cha Cha



CO₂ emissions of the product

212,7 kg

Material share of renewable raw materials

62%


Recyclate content

36%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024