

play unit Isa, solo



Age indication



Fitness



Social skills





Speed



Balance

Scope of delivery










- 18x post unit: robinia
- 4x platform unit: robinia
- 1x pitched roof: robinia
- 1x sloped boarded roof: robinia
- 1x chicken ladder: robinia
- 1x climbing net: robinia, plastic-coated steel rope
- 1x fireman's pole: stainless steel
- 1x floating piles: robinia, plastic-coated steel rope
- 1x ladder sloped: robinia
- 1x net ascent: robinia, plastic-coated steel rope
- 1x ramp: robinia
- 2x square timber ascent: robinia, plastic-coated steel rope
- 1x staggered logs ascent: robinia
- 1x triangular ascent: robinia
- 1x balancing ascent: robinia, plastic-coated steel rope
- 1x crossed rungs bridge: robinia, plastic-coated steel rope
- 1x piles bridge: robinia
- 6x access restriction: robinia
- 1x slide entry board: robinia
- 5x walk-through protection: robinia
- 5x set of climbing grips: aluminium, plastic-coated
- 18x squared timber: robinia



play unit Isa, solo




Technical data

	Material	Robinia natural
	Minimum space	18,04x14,82x4,57 m
	Impact protection net	165,0 m ²
	Free falling height	266 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	mx. number of users	108
	Certificate	Z2_010651_0524_Rev00
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	59x CF
	Fundamentlevel	ET 700
	Assembly	4 persons/20 h

Accessories

-  Slides for platform heights: 1x 195 cm
- Installation accessories e.g. PF
- Please order accessories separately to complete the appliance.



5 45 330 063 00

play unit Isa, solo



CO₂ emissions of the product

813,4 kg

Material share of renewable raw materials

98%


Recyclate content

2%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024