

# play unit Shadra 1, solo



Age indication



Fitness



Senses



Speed



Social skills



Imagination



Balance




Something new to

## Scope of delivery

22x post construction: softwood or steel  
 7x platform construction: galvanised steel  
 1x platform glass: high-pressure laminate (HPL), perspex  
 1x platform squared timber: high-pressure laminate (HPL), softwood  
 1x platform hole: high-pressure laminate (HPL)  
 1x platform grass: high-pressure laminate (HPL)  
 1x platform stone: high-pressure laminate (HPL)  
 2x platform: high-pressure laminate (HPL)  
 2x 3D parapet: softwood, HDPE  
 5x wall panel open: softwood, macrolon  
 6x wall panel: softwood  
 1x balance beam with spring: softwood, stainless steel, spring steel  
 1x struts trunk ascent: softwood  
 1x wobbly trunk ascent: softwood, stainless steel  
 1x palisades ascent: softwood  
 1x lavender ascent: stainless steel, plastic-coated steel cable, softwood  
 1x climbing platform ramp: high-pressure laminate (HPL) softwood










1x pit crossover: plastic-coated steel cable, high-pressure laminate (HPL), steel  
 1x net tube: plastic-coated steel cable, high-pressure laminate (HPL), steel  
 1x net tunnel: plastic-coated steel cable, stainless steel, softwood  
 1x post chain crossover: softwood, stainless steel  
 1x zigzag crossover: softwood  
 4x ring ascent: plastic-coated steel cable, stainless steel  
 1x slide entry plate: high-pressure laminate (HPL)  
 3x roof: softwood, HDPE  
 7x walk-through protection: plastic-coated steel cable, stainless steel  
 3x set of grips: steel














# play unit Shadra 1, solo




## Technical data

	Material	SW pi
	Minimum space	14,90x14,12x6,03 m
	Impact protection net	103,0 m <sup>2</sup>
	Free falling height	295 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	Largest section	Ø 14x449 cm
	Heaviest section	325 kg
	mx. number of users	100
	Certificate	-
	Tested according to standard	EN 1176 - 1/3/7
	Service interval (in months)	3

## Installation information

	Foundations	77x CF
	Fundamentlevel	ET 400
	Assembly	3 persons/18 h
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	24x 5631120
	CF drainage	0,07 m <sup>3</sup>
	CF concrete	2,49 m <sup>3</sup>
	CF excavation	5,91 m <sup>3</sup>

## Accessories

-  Slides for platform heights: 1x 145 cm, 1x 295 cm
- Installation accessories e.g. PF
- Please order accessories separately to complete the appliance.



5 25 080 011 00

# play unit Shadra 1, solo



**CO<sub>2</sub> emissions of the product**

**6116,7 kg**

**Material share of renewable raw materials**

**60%**

**Recyclate content**

**18%**

Circularity score



Weighted emission factor of the product\*



**Disclaimer:**

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at [gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/](https://gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/).

\* The CO<sub>2</sub>e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024