

play unit Mentras, solo



Age indication



Fitness



Senses



Speed



Imagination



Social skills



Something new to



Living together



Knowledge



Recreation



Creativity




Music


Scope of delivery

14x post construction: softwood or steel
1x platform leaf: high-pressure laminate (HPL)
2x platform planks: softwood
2x platform river: high-pressure laminate (HPL)
2x platform glass: high-pressure laminate (HPL), perspex
1x platform heart: high-pressure laminate (HPL)
2x platform squared timber: high-pressure laminate (HPL), softwood
3x platform hole: high-pressure laminate (HPL)
2x platform grass: high-pressure laminate (HPL)
2x platform stone: high-pressure laminate (HPL)
12x platform construction: galvanised steel
1x frame cover small: high-pressure laminate (HPL)
3x roof: softwood, high-pressure laminate (HPL)
1x arch ramp: stainless steel, softwood
1x climbing panel: high-pressure laminate (HPL), glass-fibre-fittings: stainless steel reinforced plastic (GFRP)
1x climbing panel: high-pressure laminate (HPL)
1x climbing platform with halfround timbers: high-pressure laminate (HPL), softwood
5x ring ascent: plastic-coated steel cable, stainless steel
8x 3D parapet: softwood, high-pressure laminate (HPL)

6x parapet: softwood, polycarbonat (UV-resistant)
11x parapet: softwood
3x walk-through protection: softwood
2x walk-through protection: plastic-coated steel cable, stainless steel
1x slide connection: high-pressure laminate (HPL)
2x slide entry board: high-pressure laminate (HPL)
1x play board branch: high-pressure laminate (HPL), macrolon, stainless steel
1x play board sound: high-pressure laminate (HPL), plastic-coated steel cable, aluminium
1x play board puzzle: high-pressure laminate (HPL)
1x play board mirror: high-pressure laminate (HPL), macrolon
1x play board theatre: high-pressure laminate (HPL)
3x set of grips: aluminium coated



play unit Mentras, solo



Technical data

	Material	SW pi
	Minimum space	12,62x9,93x7,15 m
	Impact protection net	70,0 m²
	Free falling height	295 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	Heaviest section	470 kg
	mx. number of users	92
	Certificate	-
	Tested according to standard	EN 1176 - 1/3/7
	Service interval (in months)	3

Installation information

	Foundations	2x CF
	Fundamentlevel	ET 400
	Assembly	3 persons/22 h
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	16x 5631120
	CF drainage	-
	CF concrete	3,49 m³
	CF excavation	8,14 m³

Accessories

-  Slides for platform heights: 1x 145 cm, 1x 295 cm
- Installation accessories e.g. PF
Please order accessories separately to complete the
appliance.



Gesellschaft
für Klimaschutz
München



5 25 085 011 00

play unit Mentras, solo



CO₂ emissions of the product

4556,4 kg

**Material share of
renewable raw materials**

58%

Recyclate content

13%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024