

sand wreck Bounty Bow



Age indication



Fitness



Social skills



Living together



Imagination



Something new to





Senses




Recreation

Scope of delivery












- 1x engraved sign: brass
- 1x motive Rübezahl: PE, rubber
- 1x barrier rope: plastic-coated steel cable
- 1x compass: high-pressure laminate (HPL), Makrolon
- 1x net: plastic-coated steel cable
- post shoes: galvanised steel
- wood structure: softwood






sand wreck Bounty Bow



Technical data

	Material	SW pi
	Minimum space	7,47x5,90x3,89 m
	Impact protection net	37,0 m ²
	Free falling height	200 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	Largest section	110x192x11 cm
	Heaviest section	80 kg
	Certificate	TÜV product service
	Tested according to standard	-
	Service interval (in months)	6

Installation information

	Foundations	1x CF or 6x PFs + 6x PFI
	Fundamentlevel	ET 400
	Assembly	2 persons/6 h



5 66 310 5

sand wreck Bounty Bow



CO₂ emissions of the product

1128,3 kg

Material share of renewable raw materials

84%

Recyclate content

11%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024