


# sand wreck Bounty Mast



Age indication



Fitness



Social skills



Imagination





Senses



Recreation

## Scope of delivery










1x net: plastic-coated steel cable  
 1x barrel: softwood  
 1x fog horn: PVC  
 post shoes: galvanised steel  
 wood structure: softwood














# sand wreck Bounty Mast



## Technical data

	Material	SW pi
	Minimum space	6,20x5,30x3,80 m
	Impact protection net	28,5 m <sup>2</sup>
	Free falling height	205 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	Largest section	Ø 14x531 cm
	Heaviest section	65 kg
	Certificate	TÜV product service
	Tested according to standard	-
	Service interval (in months)	6

## Installation information

	Foundations	1x CF or 5x PFs + 4x PFI
	Fundamentlevel	ET 400
	Assembly	2 persons/6 h
	PF Accessories	5x 5632540 + 4x 5630730
	PF drainage	-
	PF concrete	-
	PF excavation	2,85 m <sup>3</sup>
	CF Accessories	9x 5631120
	CF drainage	-
	CF concrete	10,23 m <sup>3</sup>
	CF excavation	34,20 m <sup>3</sup>



5 66 312 5

# sand wreck Bounty Mast



**CO<sub>2</sub> emissions of the product**

**688,7 kg**


**Material share of renewable raw materials**

**68%**

**Recyclate content**

**21%**

Circularity score



Weighted emission factor of the product\*



**Disclaimer:**

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at [gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/](https://gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/).

\* The CO<sub>2</sub>e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024