

# aerial cableway Sierra 30 m



Age indication



Speed



Senses




Balance




Fitness

## Scope of delivery

- 1x cable anchor: galvanised steel
- 1x cable tensioning device: galvanised steel
- 1x cableway cart: stainless steel
- 1x carrying rope L 30 m: steel cable
- 2x buffer spring: spring steel
- 1x seat: rubber
- 2x face plate: high-pressure laminate (HPL)
- 1x starting platform: softwood
- base structure: softwood
- post shoes: galvanised steel














# aerial cableway Sierra 30 m



## Technical data

	Material	SW pi
	Minimum space	32,00x4,99x3,92 m
	Impact protection net	125,0 m <sup>2</sup>
	Free falling height	146 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least sand
	Largest section	Ø 16x532 cm
	Heaviest section	100 kg
	mx. number of users	1
	Certificate	TÜV product service
	Tested according to standard	-
	Service interval (in months)	3

## Installation information

	Foundations	6x CF
	Fundamentlevel	ET 800
	Assembly	3 persons/5 h
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	0,38 m <sup>3</sup>
	CF concrete	1,54 m <sup>3</sup>
	CF excavation	3,46 m <sup>3</sup>

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height



5 55 263 5


# aerial cableway Sierra 30 m



**CO<sub>2</sub> emissions of the product** 1391,6 kg

**Material share of renewable raw materials** 76%

**Recyclate content** 20%



**Disclaimer:**

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at [gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/](https://gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/).

\* The CO<sub>2</sub>e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024