


aerial cableway Montana Duo 20m for hill installation



Age indication



Speed



Senses



Balance




Fitness




Social skills

Scope of delivery

- 2x cable anchor: galvanised steel
- 2x cable tensioning device: galvanised steel
- 2x cableway cart: stainless steel
- 2x carrying rope L 20 m: steel cable
- 4x buffer spring: spring steel
- 2x seat: rubber
- base structure: softwood
- post shoes: galvanised steel






aerial cableway Montana Duo 20 m for hill installation



Technical data

	Material	SW pi
	Minimum space	20,48x6,00x3,17 m
	Impact protection net	115,0 m ²
	Free falling height	80 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least lawn
	Largest section	Ø 16x430 cm
	Heaviest section	95 kg
	mx. number of users	2
	Certificate	TÜV product service
	Tested according to standard	-
	Service interval (in months)	3

Installation information



	Foundations	8x CF
	Fundamentlevel	ET 800
	Assembly	3 persons/6 h

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height



5 55 268 5

aerial cableway Montana Duo 20 m for hill installation



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024