

play unit Max, solo



Age indication



Speed



Balance



Social skills



Living together



Experiencing the



Creativity



Fitness





Recreation


Scope of delivery

47x post construction: SW
 47x post shoe: steel galvanised
 17x platform construction: SW
 14x adapter: SW
 13x wall panel: HPL
 1x wall panel aqua: HPL
 4x aqua path: HPL, SW
 1x aqua-basin: HPL, SW, mud tray plastic
 1x triangular roof: HPL
 7x walk-through protection leaf: stainless steel
 1x step-through protection oblique: SW
 1x timber filler: SW
 1x gecko crossing oblique: stainless steel, HPL, SW
 4x set of grips: aluminium, plastic coated
 1x monkey bars: SW, rungs stainless steel, HPL
 1x house roof: HPL
 1x suspension bridge oblique: SW, chain steel galvanised
 1x climbing panel: HPL, climbing grips
 1x climbing panel: HPL
 2x cord protection: HPL
 1x ladder vertical: SW, rungs stainless steel
 1x ladder: SW, rungs stainless steel

2x slide entry plate: HPL
 1x fireman's pole: stainless steel
 1x sand lift: stainless steel, rubber
 1x play panel letter disc: HPL, steel galvanised
 2x play panel hole: HPL, perspex
 1x play panel wavy grooves: HPL
 1x wobbly bridge oblique: SW, chain steel galvanised
 2x access restriction: HPL
 fittings: stainless steel
 designed for the supervised area



play unit Max, solo



Technical data

	Material	SW pi
	Minimum space	18,50x11,88x4,07 m
	Impact protection net	119,5 m ²
	Free falling height	285 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	mx. number of users	162
	Certificate	Z2_010651_0526_Rev00
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	51x CF or 46x PFs + 1x CF
	Fundamentlevel	ET 400/700
	Assembly	2 persons/24 h
	PF Accessories	46x 5632540

Accessories


	Slides for platform heights: 1x 145 cm, 1x 195 cm
	Installation accessories e.g. PF
	Please order accessories separately to complete the appliance.



Gesellschaft
für Klimaschutz
München



5 11 002 011 10 play unit Max, solo



CO₂ emissions of the product

3866,3 kg


**Material share of
renewable raw materials**

66%

Recyclate content

14%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024