

play unit Elsa, solo



Age indication



Speed



Fitness



Balance



Something new to



Knowledge



Experiencing the



Living together



Recreation



Creativity





Inclusion

Scope of delivery

30x post construction: SW
 30x post shoe: steel galvanised
 10x platform construction: SW
 8x adapter: SW
 1x wall panel: HPL
 1x wall panel aqua: HPL
 2x aqua path: HPL, SW
 1x aqua-basin: HPL, SW, mud tray plastic
 3x triangular roof: HPL
 6x walk-through protection leaf: stainless steel
 2x step-through protection straight: SW
 5x set of grips: aluminium, plastic coated
 1x climbing panel: HPL, climbing grips
 2x climbing panel: HPL
 2x ladder vertical: SW, rungs stainless steel
 1x net ascent oblique: polyester-coated steel cable, stainless steel
 1x net bridge straight: SW, polyester-coated steel cable
 2x ramp: SW
 1x slide entry plate: HPL
 1x sand sieve: stainless steel
 1x play panel letter disc: HPL, steel galvanised

1x play panel wavy grooves: HPL
 1x play panel dice disc: HPL, steel galvanised
 1x counter: SW, HPL
 1x wobbly bridge oblique: SW, chain steel galvanised
 1x zigzag balance: stainless steel, SW
 2x access restriction: HPL
 fittings: stainless steel
 designed for the supervised area



play unit Elsa, solo



Technical data

	Material	SW pi
	Minimum space	14,86x11,21x3,57 m
	Impact protection net	83,5 m²
	Free falling height	145 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least sand
	mx. number of users	152
	Certificate	Z2_010651_0526_Rev00
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	36x CF or 34x PFs
	Fundamentlevel	ET 400
	Assembly	2 persons/18 h
	PF Accessories	34x 5632540
	PF drainage	-
	PF concrete	-
	PF excavation	3,18 m³
	CF Accessories	-
	CF drainage	-
	CF concrete	1,73 m³
	CF excavation	4,03 m³

Accessories


-  Slides for platform heights: 1x 145 cm
- Installation accessories e.g. PF
Please order accessories separately to complete the
appliance.



Gesellschaft
für Klimaschutz
München



5 11 025 011 10 play unit Elsa, solo



CO₂ emissions of the product

2906,2 kg


**Material share of
renewable raw materials**

67%

Recyclate content

11%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024