


parallel swinger



Age indication



Speed



Social skills



Living together



Recreation



Senses



Inclusion



Scope of delivery

1x swing frame: softwood

1x nest seat Ø 120 cm: rope ring, steel rope link mat, rubber

fabric over chain suspension

post shoe: galvanised steel



parallel swinger



Technical data

	Material	SW pi
	Minimum space	8,60x4,28x3,29 m
	Impact protection net	21,5 m ²
	Free falling height	153 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	Largest section	Ø 16x550 cm
	Heaviest section	32 kg
	Certificate	Z2_010651_0516_Rev00
	Tested according to standard	EN 1176 - 1/2/7
	Service interval (in months)	3

Installation information

	Foundations	4x CF or 4x PFs
	Fundamentlevel	ET 400
	Assembly	2 persons/4 h

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height



Gesellschaft
für Klimaschutz
München



5 55 335 5 parallel swinger



CO₂ emissions of the product

538,7 kg

**Material share of
renewable raw materials**

72%

Recyclate content

14%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024