playo® 5 15 002 133 00

ecorino double swing with nest seat Ø 100 cm

Age indic-ation | Speed | Social skills | Senses | Recreation | Living to-gether | Inclusion

Scope of delivery

swing frame: galvanised steel
set of swing joints: galvanised steel
nest seat Ø 100 cm: galvanised steel, polyester-coated steel cable





playo® 5 15 002 133 00

ecorino double swing with nest seat Ø 100 cm



Technical data

Material	Steel galv.
Minimum space	3,33x8,00x3,68 m
Impact protection net	20,0 m²
Free falling height	146 cm
Ground constitution GE/NL/B	at least turf
Ground constitution all except GE/NL/B	at least sand
Largest section	343x22x13 cm
Heaviest section	22 kg
Certificate	TÜV product service
Tested according to standard	EN 1176

Installation information

Foundations	4x CF
Fundamentlevel	ET 700
Assembly	2 persons/2 h
Lifting devices	Excavator

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height

Gesellschaft für Klimaschutz München

eibe complete inspiration

5 15 002 133 00

ecorino double swing with nest seat Ø 100 cm

CO_2 emissions of the product	**894,8 kg**
Material share of renewable raw materials	**0%**
Recyclate content	**79%**

Circularity score

Weighted emission factor of the product*



Disclaimer:
This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.
* The CO_2e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024