

play unit Elephant Family



Age indication



Fitness



Speed





Social skills



Imagination

Scope of delivery











- 1x slide: high-pressure laminate (HPL), stainless steel
- 1x staircase: high-pressure laminate (HPL), stainless steel
- 1x fence element: stainless steel, PE
- 1x crawling tube: PP, high-pressure laminate (HPL)
- 2x platform: high-pressure laminate (HPL)
- 1x jungle panel monkey: high-pressure laminate (HPL)
- 1x elephant panel: high-pressure laminate (HPL)
- 2x elephant tube: high-pressure laminate (HPL)
- 1x set posts with post bases: softwood, galvanised steel











play unit Elephant Family



Technical data

	Material	SW pi
	Minimum space	6,12x5,99x2,65 m
	Impact protection net	25,0 m ²
	Free falling height	85 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least lawn
	Largest section	2150x490x700 cm
	Heaviest section	80 kg
	Tested according to standard	EN 1176 - 1/3/7
	Service interval (in months)	6

Installation information

	Foundations	4x CF or 2x PFs + 6x PFr
	Fundamentlevel	ET 400
	Assembly	2 persons/6 h
	PF Accessories	2x 5632540 + 6x 5632550
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height



5 59 837 011 00

play unit Elephant Family



CO₂ emissions of the product

584,9 kg

Material share of renewable raw materials

21%

Recyclate content

17%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024