


play unit Cloud Tunnel



Age indication




Fine motor skills



Imagination

Scope of delivery












- 1x crawling tube: PP
- 1x turning game: high-pressure laminate (HPL)
- 1x colour game: Plexiglas
- 1x touching and feeling game: PP
- 1x sliding game: high-pressure laminate (HPL)
- post bases: galvanised steel














play unit Cloud Tunnel



Technical data

	Material	HPL, PP
	Minimum space	4,25x3,55x1,80 m
	Impact protection net	-
	Free falling height	-
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least lawn
	Largest section	85,5x67,7x1,5 cm
	Heaviest section	9 kg
	Certificate	TÜV product service
	Tested according to standard	EN 1176 - 1/7
	Service interval (in months)	6

Installation information

	Foundations	1x CF or 2x PFs + 2x PFr
	Fundamentlevel	ET 400
	Assembly	1 person/1 h
	PF Accessories	2x 5632540 + 2x 5632550
	PF drainage	-
	PF concrete	-
	PF excavation	0,20 m ³
	CF Accessories	4x 5631120
	CF drainage	-
	CF concrete	0,11 m ³
	CF excavation	0,34 m ³

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height



5 59 815 011 00

play unit Cloud Tunnel



CO₂ emissions of the product

91,5 kg

Material share of renewable raw materials

1%

Recyclate content

20%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024