

play unit Fjrlar, solo



Age indication



Fitness



Fine motor skills



Recreation



Social skills




Speed



Inclusion

Scope of delivery

1x platform PH 40 cm: robinia
 1x platform PH 60 cm: robinia
 1x platform PH 95 cm: robinia
 1x staircase: robinia
 1x ramp ascent: robinia, HPL
 1x window: robinia, stainless steel
 1x bench: robinia
 1x panel with playing balls: stainless steel, PE
 prepared for suitable add-on slide



play unit Fjrlar, solo



Technical data

	Material	Robinia oiled
	Minimum space	6,56x5,44x2,75 m
	Impact protection net	21,0 m²
	Free falling height	95 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least lawn
	Certificate	Z2_010651_0525_Rev00
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	12x CF
	Fundamentlevel	ET 700
	Lifting devices	Wheel loader
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-

Accessories

-  Slides for platform heights: 1x 95 cm
- Installation accessories e.g. PF
- Please order accessories separately to complete the appliance.




Gesellschaft
für Klimaschutz
München



5 45 210 053 06

play unit Fjrlar, solo



CO₂ emissions of the product

163,4 kg


**Material share of
renewable raw materials**

94%

Recyclate content

3%

Circularity score



Weighted emission factor
of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024