

play unit Jump Contest



Age indication



Fitness





Balance



Speed

Scope of delivery

18x post construction: softwood or steel
 3x platform: high-pressure-laminate (HPL)
 3x platform construction: hot-dip galvanised steel
 2x frame trim: high-pressure laminate (HPL)
 1x climbing board: high-pressure-laminate (HPL), glass fibre reinforced plastic (GFRP)
 3x sloping platform with handles: high-pressure-laminate (HPL)
 1x climbing beam: softwood
 1x hanging doors: softwood, chain hanger (V2A), high-pressure-laminate (HPL)
 1x warrior ramp: softwood, high-pressure-laminate (HPL)
 1x parapet: high-pressure-laminate (HPL)
 1x passage safety device: plastic-coated steel cable, stainless steel (V2A)
 4x access restriction: high-pressure-laminate (HPL)
 1x grip set: aluminium, coated
 1x slanted wall H 700: hot-dip galvanised steel, softwood, high-pressure-laminate (HPL)



play unit Jump Contest



Technical data

	Material	SW pi
	Minimum space	14,49x9,94x3,64 m
	Impact protection net	63,5 m²
	Free falling height	184 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	mx. number of users	31
	Certificate	Z2_010651_0527_Rev00
	Tested according to standard	EN 1176 - 1/7
	Service interval (in months)	1

Installation information

	Foundations	25x CF or 11x CF + 14x PFs
	Fundamentlevel	ET 400/700
	Assembly	3 persons/10 h
	PF Accessories	14x 5632540
	PF drainage	0,23 m³
	PF concrete	0,84 m³
	PF excavation	5,19 m³
	CF Accessories	14x 5631120
	CF drainage	0,23 m³
	CF concrete	1,51 m³
	CF excavation	3,56 m³




Gesellschaft
für Klimaschutz
München



5 25 701 011 00

play unit Jump Contest



CO₂ emissions of the product

3081,7 kg


**Material share of
renewable raw materials**

41%

Recyclate content

23%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024