


balancing combination Rochwin



Age indication



Balance




Social skills



Fitness

Scope of delivery

11x balancing beam: robinia
11x ground angle: steel hot-dip galvanised















balancing combination Rochwin



Technical data

	Material	Robinia oiled
	Minimum space	8,36x7,24x2,28 m
	Impact protection net	-
	Free falling height	48 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least lawn
	Largest section	Ø 10-14x310 cm
	Certificate	-
	Tested according to standard	-

Installation information

	Foundations	11x CF or 11x PFs
	Fundamentlevel	ET 400
	Assembly	2 persons/7 h
	Lifting devices	Wheel loader
	PF Accessories	11x 5632540
	PF drainage	-
	PF concrete	-
	PF excavation	1,03 m³
	CF Accessories	6x 5631120
	CF drainage	-
	CF concrete	0,30 m³
	CF excavation	0,70 m³



5 45 084 053 06

balancing combination Rochwin



CO₂ emissions of the product

192,9 kg


Material share of renewable raw materials

89%

Recyclate content

9%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024