


snake swing Hydra



Age indication



Speed



Social skills





Balance


Scope of delivery

1x swing frame: robinia






1x swing rope: plastic-coated steel cable










snake swing Hydra



Technical data

	Material	Robinia oiled
	Minimum space	12,00x3,66x2,97 m
	Impact protection net	37,5 m ²
	Free falling height	167 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	Size	630x350x280 cm
	Certificate	Z2_010651_0525_Rev00
	Tested according to standard	EN 1176 - 1/2/7

Installation information

	Foundations	8x CF
	Fundamentlevel	ET 800
	Lifting devices	Excavator
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-



5 45 182 053 00

snake swing Hydra



CO₂ emissions of the product

662,2 kg

Material share of renewable raw materials

95%

Recyclate content

1%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024