

play unit Coral



Age indication



Fitness



Speed



Imagination





Social skills



Recreation

Scope of delivery











- 1x parapet jellyfish: high-pressure laminate (HPL), plastics
- 2x fence element sea grass: stainless steel, high-pressure laminate (HPL)
- 1x slide: high-pressure laminate (HPL), stainless steel
- 1x arched ramp: high-pressure laminate (HPL), softwood
- 1x net bridge: plastic-coated steel cable, stainless steel, high-pressure laminate (HPL)
- 1x roof: high-pressure laminate (HPL)
- 1x wall element with window and shutters: high-pressure laminate (HPL), stainless steel
- 1x bench: high-pressure laminate (HPL)
- 2x platform: high-pressure laminate (HPL), softwood
- 1x wood bottom: high-pressure laminate (HPL), softwood
- 10x post construction: softwood
- 1x set of grips: high-pressure laminate (HPL), plastics
- fittings: stainless steel














play unit Coral



Technical data

	Material	SW pi
	Minimum space	7,55x5,46x2,65 m
	Impact protection net	19,5 m ²
	Free falling height	85 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least lawn
	Largest section	215x50x70 cm
	Heaviest section	80 kg
	Tested according to standard	EN 1176 - 1/3/7
	Service interval (in months)	6

Installation information

	Foundations	4x CF or 5x PFs + 6x PFr
	Fundamentlevel	ET 400
	Assembly	2 persons/7 h
	PF Accessories	4x 5632540 + 6x 5632550
	PF drainage	-
	PF concrete	-
	PF excavation	0,70 m ³
	CF Accessories	4x 5631120
	CF drainage	-
	CF concrete	0,72 m ³
	CF excavation	0,85 m ³



5 59 838 011 00

play unit Coral



CO₂ emissions of the product

970,8 kg

Material share of renewable raw materials

34%

Recyclate content

20%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024