

play unit Extron, solo



Age indication



Fitness



Senses



Speed



Imagination



Social skills



Something new to



Balance



Creativity



Music




Knowledge

Scope of delivery

15x post construction: softwood or steel
 2x platform leaf: high-pressure laminate (HPL)
 1x platform heart: high-pressure laminate (HPL)
 1x platform squared timber: high-pressure laminate (HPL), softwood
 1x platform grass: high-pressure laminate (HPL)
 1x platform stone: high-pressure laminate (HPL)
 4x platform: high-pressure laminate (HPL)
 5x platform construction: galvanised steel
 1x roof: softwood, high-pressure laminate (HPL)
 1x leaf ascent: stainless steel, plastic-coated steel cable
 1x rotating trunk ascent: softwood, stainless steel
 1x bud ascent: softwood
 1x material ladder: softwood, stainless steel, plastic-coated steel cable
 1x island crossover: high-pressure laminate (HPL), stainless steel, softwood
 1x post chain crossover: softwood, stainless steel
 1x seesaw beam crossover: softwood, stainless steel
 1x 3D parapet: softwood, high-pressure laminate (HPL)
 5x parapet: softwood
 4x walk-through protection: softwood










6x access restriction: high-pressure laminate (HPL)
 1x play board branch: high-pressure laminate (HPL), macrolon, stainless steel
 1x play board rotary colour disk: high-pressure laminate (HPL), Macrolon, stainless steel
 1x play board sound: high-pressure laminate (HPL), plastic-coated steel cable, aluminium
 1x play board puzzle: high-pressure laminate (HPL)
 1x play board mirror: high-pressure laminate (HPL), macrolon
 3x set of grips: steel
 fittings: stainless steel














play unit Extron, solo




Technical data

	Material	Larch GL green, larch
	Minimum space	12,79x9,35x5,17 m
	Impact protection net	75,5 m ²
	Free falling height	245 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	Heaviest section	100 kg
	mx. number of users	54
	Certificate	-
	Tested according to standard	EN 1176 - 1/3/7
	Service interval (in months)	3

Installation information

	Foundations	14x CF
	Fundamentlevel	ET 400
	Assembly	3 persons/15 h
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	20x 5631120
	CF drainage	-
	CF concrete	2,21 m ³
	CF excavation	5,16 m ³



Accessories

-  Slides for platform heights: 1x 245 cm
- Installation accessories e.g. PF
- Please order accessories separately to complete the appliance.



5 25 082 041 06

play unit Extron, solo



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024