


5 67 112 0

# Double spring rocker Flight of the Bumble Bee



Age indication




Balance



Social skills

## Scope of delivery

- 1x spring rocker body: powder-coated steel
- 2x seats: PE
- 1x cover panel: PE
- 1x spring: spring steel






# Double spring rocker Flight of the Bumble Bee



## Technical data

	Material	Steel, PE
	Minimum space	3,30x2,50x2,20 m
	Impact protection net	8,0 m <sup>2</sup>
	Free falling height	40 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least lawn
	Largest section	105x95x50 cm
	Heaviest section	20 kg
	mx. number of users	2
	Certificate	TÜV product service
	Tested according to standard	-

## Installation information

	Foundations	1x 5591600 + 1x CF or 1x 5632100 + 1x CF
	Fundamentlevel	ET 0 oder ET 450
	Assembly	2 persons/1 h



5 67 112 0

# Double spring rocker Flight of the Bumble Bee



**CO<sub>2</sub> emissions of the product**

**276,7 kg**

**Material share of renewable raw materials**

**1%**

**Recyclate content**

**37%**

Circularity score



Weighted emission factor of the product\*



**Disclaimer:**

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at [gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/](https://gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/).

\* The CO<sub>2</sub>e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024