



Age indication



Fitness



Speed




Imagination



Social skills

Scope of delivery

1x rope ladder: plastic-coated steel cable
2x barrier rope: plastic-coated steel cable
1x roof: softwood
1x flag: tent canvas
1x climbing pole: galvanised steel
wooden construction: softwood
post shoes: galvanised steel





Technical data

	Material	SW pi
	Minimum space	5,60x5x57x4,05 m
	Impact protection net	25,5 m ²
	Free falling height	145 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least sand
	Largest section	Ø 14x411 cm
	Heaviest section	60 kg
	Certificate	TÜV product service
	Tested according to standard	-
	Service interval (in months)	6

Installation information


	Foundations	6x CF or 2x PFs + 4x CF
	Fundamentlevel	ET 800
	Assembly	3 persons/8 h
	PF Accessories	2x 5632540



Gesellschaft
für Klimaschutz
München



5 66 358 5 tree house



CO₂ emissions of the product

1047,8 kg


**Material share of
renewable raw materials**

89%

Recyclate content

9%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024