


climbing structure large Yurika



Age indication



Fitness



Balance



Social skills



Senses



Speed

Scope of delivery


14x post construction: softwood

14x post shoe: galvanised steel


12x climbing beam: softwood

6x rope construction: polyester-coated steel cable





1x banister slide: stainless steel














climbing structure large Yurika



Technical data

	Material	SW pi
	Minimum space	11,52x8,31x3,98 m
	Impact protection net	59,0 m ²
	Free falling height	218 cm
	Ground constitution GE/NL/B	minimum sand
	Ground constitution all except GE/NL/B	minimum sand
	Certificate	Z2_010651_0521_Rev00
	Tested according to standard	EN 1176 - 1/7
	Service interval (in months)	3

Installation information

	Foundations	16x CF or 13x PFI + 1x PFs
	Fundamentlevel	ET 400
	Assembly	2 persons/8 h
	PF Accessories	13x 5630730 + 1x 5632540 + 21x 5631120
	PF drainage	-
	PF concrete	-
	PF excavation	11,24 m ³
	CF Accessories	22x 5631120
	CF drainage	-
	CF concrete	1,95 m ³
	CF excavation	4,54 m ³



5 25 902 011 00

climbing structure large Yurika



CO₂ emissions of the product

1092,9 kg

Material share of renewable raw materials

81%

Recyclate content

17%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024