


aerial cableway Jota 30 m



Age indication



Speed



Senses





Balance




Fitness

Scope of delivery

rope anchors: galvanised steel
tension device: galvanised steel
cableway trolley: stainless steel
catenary wire: steel cable
set of springs: spring steel
swing seat: rubber
base structure: galvanised steel






aerial cableway Jota 30 m



Technical data

	Material	Steel galv.
	Minimum space	38,42x5,80x3,65 m
	Impact protection net	107,0 m ²
	Free falling height	80 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least lawn
	Largest section	600x14x14 cm
	Heaviest section	60 kg
	Certificate	RAL
	Tested according to standard	10 years

Installation information

	Foundations	6x CF
	Fundamentlevel	ET 700
	Assembly	2 persons/8 h



5 15 035 133 00

aerial cableway Jota 30 m



CO₂ emissions of the product

1720,3 kg

Material share of renewable raw materials

0%

Recyclate content

93%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024