

play unit Eiger, solo



Age indication



Speed



Fitness





Social skills



Imagination

Scope of delivery

6x post construction: softwood or steel
 6x post shoe: steel galvanised
 2x platform construction: softwood
 2x parapet: softwood
 1x parapet: high pressure laminate (HPL)
 7x decoration crossbar: softwood
 2x walk-through protective device: stainless steel
 2x set of grips: aluminium, plastic coated
 4x protective device clamping of hood cord: high pressure laminate (HPL)
 1x ladder: softwood, rungs stainless steel
 1x net ascent vertical: polyester-coated steel cable
 1x pent roof wood: softwood
 1x slide entry plate: high pressure laminate (HPL)
 1x fireman's pole: stainless steel
 1x play panel counting rings: high pressure laminate (HPL), robinia
 1x counter: softwood, high pressure laminate (HPL)
 1x access restriction: high pressure laminate (HPL)
 fittings: stainless steel



play unit Eiger, solo



Technical data

	Material	SW pi
	Minimum space	7,48x4,88x3,50 m
	Impact protection net	26,0 m ²
	Free falling height	145 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	Largest section	0,15x0,15x3,84 m
	mx. number of users	20
	Certificate	Z2_010651_514_Rev00
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	9x CF or 9x PFs
	Fundamentlevel	ET 400
	Assembly	2 persons/8 h
	PF Accessories	9x 5632540
	PF drainage	-
	PF concrete	-
	PF excavation	2,06 m ³
	CF Accessories	9x 5631120
	CF drainage	-
	CF concrete	0,43 m ³
	CF excavation	1,01 m ³

Accessories

-  Slides for platform heights: 1x 145 cm
- Installation accessories e.g. PF
Please order accessories separately to complete the
appliance.




Gesellschaft
für Klimaschutz
München



5 11 504 011 00

play unit Eiger, solo



CO₂ emissions of the product

572,9 kg


**Material share of
renewable raw materials**

74%

Recyclate content

15%

Circularity score



Weighted emission factor
of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024