

indoor play unit Midi



Age indication



Fitness



Social skills



Fine motor skills





Imagination

Scope of delivery

36x post structure: SW
 36x post shoe: galvanised steel
 2x hanging buoy: PVC (durable, phthalate-free)
 2x hanging nest seat: steel cable mat, rubber
 3x hanging curtain: artificial leather
 14x hanging cylinder: foam, artificial leather
 1x ball pool balls: coloured plastic
 20x facing: SW
 8x parapet: SW
 29x parapet: HPL
 3x walk-through protection: stainless steel
 16x grid roof: SW, HPL, galvanised steel
 5x set of grips: aluminium, plastic-coated
 3x obstacle roll: foam, artificial leather, galvanised steel
 5x chimney net: SW, HPL, plastic-coated steel cable
 1x climbing board: HPL
 1x vertical ladder: stainless steel rung
 1x ladder: SW, stainless steel rung
 2x net parapet door: SW, PE-net
 28x net parapet straight: SW, HPL, PE-net
 30x net parapet: SW, PE-net
 5x platform cushion: foam, artificial leather, velcro fastener

4x platform cushion ramp: foam, artificial leather, velcro fastener
 8x platform structure: SW
 1x puzzle mats: EVA according DIN EN 1177
 1x ramp: HPL, SW
 1x play platform sheet metal: SW, plywood, stainless steel
 27x play platform mat: SW, plywood, velcro fastener
 1x play platform lawn: SW, plywood, artificial grass
 2x play platform window: SW, plywood, Makrolon
 1x play platform mirror: SW, plywood, mirrored Makrolon
 1x access restriction: HPL
 fittings: stainless steel



indoor play unit Midi



Technical data

	Material	SW pi
	Minimum space	8,31x8,45x4,12 m
	Impact protection net	11,5 m ²
	Free falling height	95 cm
	Ground constitution GE/NL/B	Synthetic impact attenuation
	Ground constitution all except GE/NL/B	Synthetic impact attenuation
	mx. number of users	-

Installation information

	Foundations	-
	Fundamentlevel	-
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	-
	CF concrete	-
	CF excavation	-

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height




Gesellschaft
für Klimaschutz
München



5 11 906 012 00

indoor play unit Midi



CO₂ emissions of the product

8565,1 kg


**Material share of
renewable raw materials**

58%

Recyclate content

11%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024