

indoor play unit Construction Site



Age indication



Fitness



Social skills



Fine motor skills



Imagination





Feeling for the ball

Scope of delivery

33x post structure: SW
 33x post shoe: galvanised steel
 1x hanging buoy: PVC (durable, phthalate-free)
 3x hanging cylinder: foam, artificial leather
 4x parapet: HPL
 7x decoration element: HPL
 11x decoration timber: SW
 2x walk-through protection: stainless steel
 7x grid roof: SW, HPL, galvanised steel
 3x set of grips: aluminium, plastic-coated
 1x suspended conveyer with bucket: stainless steel, rubber PAK-free
 1x climbing board: HPL
 1x ladder: SW, stainless steel rug
 12x net parapet straight: SW, HPL, PE-net
 1x platform cushion: foam, artificial leather, velcro fastener
 9x platform cushion mat: foam, artificial leather, velcro fastener
 1x platform cushion ramp: foam, artificial leather, velcro fastener

1x sand wheel: PP
 1x sand sieve: stainless steel
 1x play panel cement mixer: HPL, galvanised steel
 1x play panel relief: HPL
 1x play panel sand spout: HPL, galvanised steel chain, plastic
 7x play panel barrier sign: SW
 1x play panel tools: HPL
 1x play platform sheet metal: SW, plywood, stainless steel
 11x play platform mat: SW, plywood, velcro fastener
 1x zig-zag balancing: stainless steel, SW
 7x rollover protection: SW
 fittings: stainless steel



5x platform decoration: HPL
6x platform structure: SW











indoor play unit Construction Site



Technical data

	Material	SW pi
	Minimum space	8,53x9,00x2,49 m
	Impact protection net	-
	Free falling height	45 cm
	Ground constitution GE/NL/B	-
	Ground constitution all except GE/NL/B	-
	mx. number of users	-

Installation information


	Foundations	-
	Fundamentlevel	-
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	-
	CF concrete	-
	CF excavation	-

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height



5 11 904 012 00

indoor play unit Construction Site



CO₂ emissions of the product

12820,9 kg


Material share of renewable raw materials

36%

Recyclate content

7%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024