

play unit Bo, solo



Age indication



Fitness



Social skills





Speed



Balance

Scope of delivery










- 14x post unit: robinia
- 4x platform unit: robinia
- 1x pitched roof: robinia
- 1x sloped boarded roof: robinia
- 1x Y-ascent: robinia, plastic-coated steel rope
- 1x aquare timber ascent: robinia, plastic-coated steel rope
- 1x chicken ladder: robinia
- 1x fireman's pole: stainless steel
- 1x ladder sloped: robinia
- 1x poles ascent: robinia
- 1x balancing beam sloped: robinia
- 1x crossed rungs bridge: robinia, plastic-coated steel rope
- 1x net bridge horizontal: robinia, plastic-coated steel rope
- 3x access restriction: robinia
- 2x slide entry board: robinia
- 1x walk-through protection: robinia
- 1x counter: robinia
- 1x set of climbing grips: aluminium, plastic-coated
- 14x squared timber: robinia






play unit Bo, solo




Technical data

	Material	Robinia natural
	Minimum space	13,89x10,78x3,79 m
	Impact protection net	91,0 m ²
	Free falling height	145 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	mx. number of users	58
	Certificate	Z2_010651_0524_Rev00
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	27x CF
	Fundamentlevel	ET 700
	Assembly	3 persons/15 h

Accessories

	Slides for platform heights: 1x 95 cm, 1x 145 cm
	Installation accessories e.g. PF Please order accessories separately to complete the appliance.



5 45 325 063 00

play unit Bo, solo



CO₂ emissions of the product

571,5 kg

Material share of renewable raw materials

97%

Recyclate content

3%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024