


indoor play unit Castle



Age indication



Fitness



Social skills



Fine motor skills



Imagination





Feeling for the ball


Scope of delivery

36x post structure: SW
 36x post shoe: galvanised steel
 1x hanging buoy: PVC (durable, phthalate-free)
 1x hanging curtain: artificial leather
 6x hanging cylinder: foam, artificial leather
 1x ball pool balls: coloured plastic
 10x facing: HPL
 8x parapet: SW
 34x parapet: HPL
 8x decoration parapet: SW
 12x decoration window: HPL, plexiglass
 8x walk-through protection: stainless steel
 18x grid roof: SW, HPL, galvanised steel
 10x set of grips: aluminium, plastic-coated
 2x obstacle roll: foam, artificial leather, galvanised steel
 6x chimney net: SW, HPL, plastic-coated steel cable
 4x climbing board: HPL
 50x net parapet straight: SW, HPL, PE-net
 6x net parapet: SW, PE-net
 5x platform cushion: foam, artificial leather, velcro fastener
 28x platform cushion mat: foam, artificial leather, velcro fastener

1x platform structure: SW
 1x puzzle mats: EVA according to DIN EN 1177
 1x ramp: SW, plastic-coated steel cable, galvanised steel
 1x play parapet ball toss: SW, HPL
 1x play parapet relief: HPL
 2x play parapet coat of arms: SW, HPL
 33x play platform mat: SW, plywood, velcro fastener
 fittings: stainless steel



indoor play unit Castle



Technical data

	Material	SW pi
	Minimum space	9,73x8,44x3,80 m
	Impact protection net	-
	Free falling height	45 cm
	Ground constitution GE/NL/B	-
	Ground constitution all except GE/NL/B	-
	mx. number of users	-

Installation information

	Foundations	-
	Fundamentlevel	-
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	-
	CF concrete	-
	CF excavation	-

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height



Gesellschaft
für Klimaschutz
München



5 11 908 012 00

indoor play unit Castle



CO₂ emissions of the product

8043,8 kg

Material share of renewable raw materials

58%

Recyclate content

10%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024