

# play house Mountain Lake



Age indication



Fitness



Social skills



Imagination



3D-Thinking




Experiencing the



Inclusion

## Scope of delivery

9x post construction: softwood or steel  
9x post shoe: steel galvanised  
4x platform construction: softwood  
1x adapter: softwood  
4x parapet: softwood  
13x decoration crossbar: softwood  
3x walk-through protective device: stainless steel  
3x set of grips: aluminium, plastic coated  
1x ladder vertical: softwood, rungs stainless steel  
1x ramp: high pressure laminate (HPL), climbing grips  
1x ramp: high pressure laminate (HPL), softwood  
1x sand lift: stainless steel, rubber  
2x saddle roof: softwood  
1x play panel porthole: high pressure laminate (HPL), plastic  
1x play panel dice disc: high pressure laminate (HPL), steel galvanised  
1x counter: softwood, high pressure laminate (HPL)  
fittings: stainless steel



# play house Mountain Lake



## Technical data

|                                                                                     |                                           |                     |
|-------------------------------------------------------------------------------------|-------------------------------------------|---------------------|
|  | Material                                  | SW pi               |
|  | Minimum space                             | 6,06x6,06x3,46 m    |
|  | Impact protection net                     | 15,0 m <sup>2</sup> |
|  | Free falling height                       | 145 cm              |
|  | Ground constitution<br>GE/NL/B            | at least turf       |
|  | Ground constitution<br>all except GE/NL/B | at least sand       |
|  | Largest section                           | 0,15x0,15x3,45 m    |
|  | mx. number of users                       | 19                  |
|  | Certificate                               | Z2_010651_514_Rev00 |
|  | Tested according to<br>standard           | EN 1176 - 1/7       |

## Installation information

|                                                                                     |                |                     |
|-------------------------------------------------------------------------------------|----------------|---------------------|
|  | Foundations    | 13x CF or 12x PFs   |
|  | Fundamentlevel | ET 400              |
|  | Assembly       | 2 persons/6 h       |
|  | PF Accessories | 12x 5632540         |
|  | PF drainage    | -                   |
|  | PF concrete    | -                   |
|  | PF excavation  | 2,75 m <sup>3</sup> |
|  | CF Accessories | 13x 5631120         |
|  | CF drainage    | -                   |
|  | CF concrete    | 0,63 m <sup>3</sup> |
|  | CF excavation  | 1,50 m <sup>3</sup> |



Gesellschaft  
für Klimaschutz  
München



5 11 513 011 00

# play house Mountain Lake



**CO<sub>2</sub> emissions of the product**

**876,4 kg**


**Material share of  
renewable raw materials**

**80%**


**Recyclate content**

**11%**

Circularity score



Weighted emission factor  
of the product\*



**Disclaimer:**

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at [gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/](https://gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/).

\* The CO<sub>2</sub>e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024