

5 67 226 0

Spring rocker Duck




Age indication



Balance

Scope of delivery





- 1x spring rocker body: PE
- 1x moulded body with grips: PE
- 1x spring: spring steel
- 1x angle plate: galvanised steel









Spring rocker Duck



Technical data

	Material	PE
	Minimum space	3,30x2,35x2,33 m
	Impact protection net	7,0 m ²
	Free falling height	53 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least lawn
	Largest section	80x55x23 cm
	Heaviest section	14 kg
	mx. number of users	1
	Certificate	TÜV product service
	Tested according to standard	-

Installation information

	Foundations	1x 5632280 + 1x CF
	Fundamentlevel	ET 480
	Assembly	1 person/1 h
	CF drainage	0,04 m ³
	CF concrete	0,06 m ³
	CF excavation	0,20 m ³



5 67 226 0

Spring rocker Duck



CO₂ emissions of the product

283,2 kg

Material share of renewable raw materials

0%

Recyclate content

30%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024