

play unit Ofelia, solo



Age indication



Fitness



Senses



Speed



Social skills



Music



Creativity



Imagination



Recreation



Balance



Living together




Inclusion

Scope of delivery

15x post construction: softwood or steel
 1x platform leaf: high-pressure laminate (HPL)
 2x platform planks: softwood
 1x platform river: high-pressure laminate (HPL)
 1x platform glass: high-pressure laminate (HPL), acrylic glass (UV-resistant)
 1x platform heart: high-pressure laminate (HPL)
 1x platform grass: high-pressure laminate (HPL)
 2x platform stone: high-pressure laminate (HPL)
 7x platform construction: galvanised steel
 1x ascent: stainless steel, plastic-coated steel cable, softwood
 1x bud ascent: softwood
 1x ladder twisted: stainless steel, softwood
 1x 3D parapet with bench and table: softwood, HDPE, high-pressure laminate (HPL)
 4x 3D parapet: softwood, HDPE
 13x parapet: softwood
 2x walk-through protection: softwood
 4x walk-through protection: plastic-coated steel cable, stainless steel
 1x slide entry board: high-pressure laminate (HPL)







1x play parapet rotary colour disk: high-pressure laminate (HPL), Macrolon, stainless steel
 1x play parapet sound: high-pressure laminate (HPL), plastic-coated steel cable, aluminium
 1x play parapet mirror: high-pressure laminate (HPL), macrolon
 1x play parapet theatre: high-pressure laminate (HPL)
 3x set of grips: steel
 fittings: stainless steel














play unit Ofelia, solo




Technical data

	Material	SW pi
	Minimum space	9,56x8,71x3,25 m
	Impact protection net	50,0 m ²
	Free falling height	145 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least sand
	Largest section	Ø 14x304 cm
	Heaviest section	38 kg
	mx. number of users	36
	Certificate	-
	Tested according to standard	EN 1176 - 1/3/7
	Service interval (in months)	3

Installation information

	Foundations	19x CF or 19x PFs
	Fundamentlevel	ET 400
	Assembly	2 persons/15 h
	PF Accessories	19x 5632540
	PF drainage	-
	PF concrete	-
	PF excavation	1,78 m ³
	CF Accessories	-
	CF drainage	-
	CF concrete	0,91 m ³
	CF excavation	2,13 m ³

Accessories

-  Slides for platform heights: 1x 145 cm
- Installation accessories e.g. PF
- Please order accessories separately to complete the appliance.



5 25 069 011 00

play unit Ofelia, solo



CO₂ emissions of the product

2857,7 kg

Material share of renewable raw materials

56%

Recyclate content

15%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024