

play unit Dandelion



Age indication



Fitness



Speed



Recreation



Senses



Fine motor skills



Social skills





Something new to



Imagination

Scope of delivery

1x slide: high-pressure laminate (HPL), stainless steel
 1x staircase: high-pressure laminate (HPL)
 4x fence element: stainless steel, PE
 1x fence element sea grass: stainless steel, high-pressure laminate (HPL)
 8x platform: high-pressure laminate (HPL), softwood
 2x roof: high-pressure laminate (HPL), Makrolon
 1x wall element with window and shutters: high-pressure laminate (HPL), stainless steel
 1x bench: high-pressure laminate (HPL)
 1x arch bridge: high-pressure laminate (HPL), softwood
 1x arched ramp: softwood, high-pressure laminate (HPL)
 1x crawling tube: PP, high-pressure laminate (HPL)
 1x parapet clover leaf: high-pressure laminate (HPL)
 3x parapet blossom: high-pressure laminate (HPL), Makrolon
 1x parapet bee: high-pressure laminate (HPL), silicone
 1x parapet dandelion: high-pressure laminate (HPL), galvanised steel
 1x parapet hedgehog: high-pressure laminate (HPL), PE, galvanised steel
 1x wobbly crossing with chain: stainless steel, rubber, PE



play unit Dandelion



Technical data

	Material	SW pi
	Minimum space	7,24x6,16x2,40 m
	Impact protection net	7,0 m ²
	Free falling height	59 cm
	Ground constitution GE/NL/B	at least lawn
	Ground constitution all except GE/NL/B	at least lawn
	Heaviest section	55 kg
	mx. number of users	21
	Tested according to standard	EN 1176 - 1/3/7
	Service interval (in months)	3

Installation information

	Foundations	23x CF or 3x PFs + 20x PFr
	Fundamentlevel	ET 400
	Assembly	2 persons/10 h
	PF Accessories	3x 5632540 + 20x 5632550
	PF drainage	-
	PF concrete	-
	PF excavation	3,29 m ³
	CF Accessories	23x 5631120
	CF drainage	-
	CF concrete	0,78 m ³
	CF excavation	2,35 m ³

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height




Gesellschaft
für Klimaschutz
München



5 59 836 011 00

play unit Dandelion



CO₂ emissions of the product

1412,6 kg


**Material share of
renewable raw materials**

31%

Recyclate content

16%

Circularity score



Weighted emission factor
of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024