

play unit Manaslu, solo



Age indication



Fitness



Social skills



Imagination





Speed



Balance

Scope of delivery

8x post construction: softwood or steel
2x platform construction: softwood
1x pent roof: softwood
1x vertical ladder: stainless steel
1x net ascent sloped: softwood, plastic-coated steel cable, stainless steel
1x ramp: softwood
1x safety platform straight: softwood
1x wobbly bridge straight: softwood, galvanised steel
2x parapet: high pressure laminate (HPL)
3x parapet: softwood
2x walk-through protective device: stainless steel
1x slide entry plate: high pressure laminate (HPL)
1x access restriction: high pressure laminate (HPL)
7x decoration timber: softwood
2x set of grips: aluminium, plastic-coated
1x counter: softwood, high pressure laminate (HPL)
fittings: stainless steel



play unit Manaslu, solo



Technical data

	Material	SW pi
	Minimum space	11,09x4,79x3,75 m
	Impact protection net	40,5 m²
	Free falling height	145 cm
	Ground constitution GE/NL/B	at least turf
	Ground constitution all except GE/NL/B	at least gravel
	Largest section	10x10x364 cm
	mx. number of users	30
	Certificate	Z2-010651-0526_ZERT
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	12x CF or 12x PFs
	Fundamentlevel	ET 400
	Assembly	2 persons/9 h
	PF Accessories	12x 5632540
	PF drainage	-
	PF concrete	-
	PF excavation	2,78 m³
	CF Accessories	12x 5631120
	CF drainage	-
	CF concrete	0,57 m³
	CF excavation	1,30 m³

Accessories

-  Slides for platform heights: 1x 145 cm
- Installation accessories e.g. PF
Please order accessories separately to complete the
appliance.




Gesellschaft
für Klimaschutz
München



5 11 522 011 00

play unit Manaslu, solo



CO₂ emissions of the product

849,8 kg


**Material share of
renewable raw materials**

83%


Recyclate content

10%

Circularity score



Weighted emission factor
of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024