


playing ship Santa Maria, solo



Age indication



Social skills



Fitness



Speed



Imagination




Balance




Living together

Scope of delivery










- 1x steering wheel: high-pressure laminate (HPL)
- 1x steering wheel large: high-pressure laminate (HPL), softwood, galvanised steel
- 1x anchor: high-pressure laminate (HPL)
- 1x anchor chain: galvanised steel
- 1x large climbing net: plastic-coated steel cable
- 1x wobbly bridge: galvanised steel
- 1x sloped climbing net: plastic-coated steel cable
- 1x rope ascent: plastic-coated steel cable, softwood
- 4x bird: softwood glazed
- 4x lantern: softwood glazed
- 3x mast: softwood
- 1x compass: high-pressure laminate (HPL), Macrolon
- 3x flag: high-pressure laminate (HPL)
- 7x steel cable: stainless steel
- 12x climbing handle: GFRP
- 1x stem ascent: softwood
- wood structure: softwood
- post shoes: galvanised steel






playing ship Santa Maria, solo



Technical data

	Material	SW pi
	Minimum space	15,32x9,65x6,02 m
	Impact protection net	73,0 m ²
	Free falling height	211 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	Certificate	TÜV product service
	Tested according to standard	EN 1176 - 1/7
	Service interval (in months)	6

Installation information

	Foundations	9x CF or 9x PFs + 13x PFI
	Fundamentlevel	ET 400
	Assembly	3 persons/16 h

Accessories

	Slides for platform heights: 1x 145 cm
	Installation accessories e.g. PF Please order accessories separately to complete the appliance.



5 59 151 011 00

playing ship Santa Maria, solo



CO₂ emissions of the product

2678,8 kg

Material share of renewable raw materials

91%

Recyclate content

6%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024