


climbing structure Kaya



Age indication



Fitness



Social skills



Senses



Balance



Living together



Speed



Scope of delivery

36x post structure: softwood


5x net ascent: plastic-coated steel cable, stainless steel

3x rope ascent sloped: plastic-coated steel rope, stainless steel

1x banister slide: stainless steel














climbing structure Kaya



Technical data

	Material	SW pi
	Minimum space	12,04x11,69x4,77 m
	Impact protection net	72,5 m ²
	Free falling height	297 cm
	Ground constitution GE/NL/B	mind. Sand
	Ground constitution all except GE/NL/B	mind. Sand
	Largest section	Ø14x495 cm
	Heaviest section	65 kg
	Certificate	Z2_010651_0521_Rev00
	Tested according to standard	EN 1176 - 1/7
	Service interval (in months)	3

Installation information

	Foundations	15x CF or 14 PFI + 1x PFs
	Fundamentlevel	ET 400
	Assembly	2 Personen/12 Std.
	PF Accessories	14x 5630730 + 1x 5632540 + 31x 5631120
	PF drainage	-
	PF concrete	-
	PF excavation	12,09 m ³
	CF Accessories	32x 5631120
	CF drainage	-
	CF concrete	2,38 m ³
	CF excavation	5,55 m ³



5 25 910 011 00

climbing structure Kaya



CO₂ emissions of the product

1461,7 kg

Material share of renewable raw materials

83%

Recyclate content

14%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024