

indoor play unit Farm



Age indication



Fitness



Social skills



Fine motor skills



Imagination





Speed


Scope of delivery

25x parapet: SW
 29x parapet: HPL
 4x decoration window: HPL, plexiglass
 4x decoration tyre: HPL
 2x decoration animal: HPL
 1x decoration element: HPL
 4x walk-through protection: stainless steel
 5x grid roof: SW, HPL, galvanised steel
 4x set of grips: aluminium, plastic-coated
 2x climbing panel: HPL
 9x net parapet straight: SW, HPL, PE-net
 14x net parapet: SW, PE-net
 4x platform cushion: foam, artificial leather, velcro fastener
 15x platform cushion mat: foam, artificial leather, velcro fastener
 5x platform cushion ramp: foam, artificial leather, velcro fastener
 2x platform decoration: HPL
 7x platform structure: SW
 3x slide entry plate: HPL
 1x tubular add-on slide PH 345 cm, GFRP
 4x pitched roof: SW

1x play parapet steering wheel: HPL, metal
 1x play parapet wheel of dice: HPL, galvanised steel
 1x play platform sheet metal: SW, plywood, stainless steel
 24x play platform mat: SW, plywood, velcro fastener
 1x play platform lawn: SW, plywood, artificial grass
 1x play platform mirror: SW, plywood, mirrored Makrolon
 1x steps crossing: SW, HPL
 fittings: stainless steel



indoor play unit Farm



Technical data

	Material	SW pi
	Minimum space	14,10x8,35x6,45 m
	Impact protection net	20,5 m ²
	Free falling height	70 cm
	Ground constitution GE/NL/B	-
	Ground constitution all except GE/NL/B	-
	mx. number of users	-

Installation information

	Foundations	-
	Fundamentlevel	-
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	-
	CF concrete	-
	CF excavation	-

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height




Gesellschaft
für Klimaschutz
München



5 11 909 012 00

indoor play unit Farm



CO₂ emissions of the product

34760,3 kg


**Material share of
renewable raw materials**

29%

Recyclate content

4%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024