

Sand play table, wheelchair accessible



Age indication



Experiencing the



Social skills




Creativity



Inclusion

Scope of delivery












1x sand playing table: SW
post bases: galvanised steel







Sand play table, wheelchair accessible



Technical data

	Material	SW pi
	Minimum space	4,25x4,60x0,71 m
	Impact protection net	-
	Free falling height	59 cm
	Ground constitution GE/NL/B	at least stone
	Ground constitution all except GE/NL/B	at least stone
	Size	1,25x1,60x0,71 m
	Largest section	160x125x6 cm
	Heaviest section	45 kg
	Certificate	TÜV product service
	Tested according to standard	-
	Service interval (in months)	1

Installation information

	Foundations	4x CF or 4x PFs
	Fundamentlevel	ET 400
	Assembly	1 person/1 h
	PF Accessories	4x 5632540

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height



5 59 149 5

Sand play table, wheelchair accessible



CO₂ emissions of the product

142,7 kg

Material share of renewable raw materials

87%


Recyclate content

12%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024