


play unit Lycon 1, solo



Age indication



Fitness



Senses



Speed



Imagination



Social skills



Something new to




Balance



Creativity

Scope of delivery












- 7x post construction: softwood or steel
- 3x platform construction: galvanised steel
- 6x platform planks: softwood
- 5x parapet: softwood
- 1x climbing ramp: softwood
- 1x leaf ascent: stainless steel, plastic-coated steel cable
- 1x fireman's pole: stainless steel
- 1x climbing wall: high-pressure laminate (HPL), climbing grips
- 1x lavender ascent: stainless steel, plastic-coated steel cable, softwood
- 1x slide entry plate: high-pressure laminate (HPL)
- 3x set of grips: steel
- 3x frame trim: softwood














play unit Lycon 1, solo




Technical data

	Material	SW pi
	Minimum space	9,50x7,01x3,75 m
	Impact protection net	42,5 m ²
	Free falling height	195 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	Largest section	Ø 14x287 cm
	mx. number of users	31
	Certificate	-
	Tested according to standard	EN 1176 - 1/3/7
	Service interval (in months)	3

Installation information

	Foundations	11x CF or 11x PFs
	Fundamentlevel	ET 400
	Assembly	2 persons/7 h
	PF Accessories	11x 5632540
	PF drainage	-
	PF concrete	-
	PF excavation	2,52 m ³
	CF Accessories	11x 5631120
	CF drainage	-
	CF concrete	0,53 m ²
	CF excavation	1,23 m ³

Accessories

-  Slides for platform heights: 1x 195 cm
- Installation accessories e.g. PF
- Please order accessories separately to complete the appliance.



5 25 075 011 00

play unit Lycon 1, solo



CO₂ emissions of the product

1244,8 kg

Material share of renewable raw materials

64%

Recyclate content

24%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024