


5 67 120 0

# Multi-spring rocker Covered Wagon



Age indication




Balance




Social skills

## Scope of delivery

4x wheels: high-pressure laminate (HPL)  
2x holding bracket: galvanised and powder-coated steel  
2x spring rocker body: PE  
4x springs: spring steel  
base structure: softwood



# Multi-spring rocker Covered Wagon



## Technical data

|                                                                                     |                                           |                     |
|-------------------------------------------------------------------------------------|-------------------------------------------|---------------------|
|  | Material                                  | SW pi               |
|  | Minimum space                             | 4,50x4,20x2,63 m    |
|  | Impact protection net                     | 17,0 m <sup>2</sup> |
|  | Free falling height                       | 83 cm               |
|  | Ground constitution<br>GE/NL/B            | at least lawn       |
|  | Ground constitution<br>all except GE/NL/B | at least lawn       |
|  | Largest section                           | 112x112x12 cm       |
|  | Heaviest section                          | 23 kg               |
|  | mx. number of users                       | 6                   |
|  | Certificate                               | TÜV product service |
|  | Tested according to<br>standard           | -                   |

## Installation information

|                                                                                     |                |                     |
|-------------------------------------------------------------------------------------|----------------|---------------------|
|  | Foundations    | 4x 5632280 + 4x CF  |
|  | Fundamentlevel | ET 480              |
|  | Assembly       | 2 persons/1.5 h     |
|  | CF drainage    | 0,12 m <sup>3</sup> |
|  | CF concrete    | 0,27 m <sup>3</sup> |
|  | CF excavation  | 0,81 m <sup>3</sup> |



Gesellschaft  
für Klimaschutz  
München



5 67 120 0

# Multi-spring rocker Covered Wagon



**CO<sub>2</sub> emissions of the product**

**1239,5 kg**


**Material share of  
renewable raw materials**

**37%**

**Recyclate content**

**22%**

Circularity score



Weighted emission factor  
of the product\*



**Disclaimer:**

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at [gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/](https://gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/).

\* The CO<sub>2</sub>e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024