

play unit Makalu, solo



Age indication



Speed



Fitness



Social skills



3D-Thinking



Balance




Experiencing the

Scope of delivery

2x post construction sloped: softwood
16x post construction: softwood or steel
16x post shoe: steel galvanised
7x platform construction: softwood
1x 3D parapet: high pressure laminate (HPL), NH, Makrolon
9x parapet: softwood
2x parapet: high pressure laminate (HPL)
24x decoration crossbar: softwood
3x walk-through protective device: stainless steel
2x set of grips: aluminium, plastic coated
1x climbing panel: high pressure laminate (HPL)
1x ramp: high pressure laminate (HPL), softwood
1x slide entry plate: high pressure laminate (HPL)
1x rattle sieve: stainless steel
1x sand lift: stainless steel, rubber
1x sand slide: high pressure laminate (HPL)
1x sand silo: stainless steel
1x saddle roof: softwood
1x play panel hole: high pressure laminate (HPL), perspex
1x play panel dice disc: high pressure laminate (HPL), steel galvanised
1x wobbly bridge sloped: softwood, chain steel galvanised

1x access restriction: high pressure laminate (HPL)
fittings: stainless steel



play unit Makalu, solo



Technical data

	Material	SW pi
	Minimum space	9,82x8,62x4,04 m
	Impact protection net	46,5 m²
	Free falling height	195 cm
	Ground constitution GE/NL/B	at least sand
	Ground constitution all except GE/NL/B	at least sand
	Largest section	0,15x0,15x4,03 m
	mx. number of users	37
	Certificate	Z2_010651_514_Rev00
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	18x CF or 16x PFs + 1x CF
	Fundamentlevel	ET 400
	Assembly	2 persons/16 h
	Lifting devices	Excavator
	PF Accessories	16x 5632540
	PF drainage	0,17 m³
	PF concrete	0,50 m³
	PF excavation	5,10 m³
	CF Accessories	17x 5631120
	CF drainage	0,17 m³
	CF concrete	1,32 m³
	CF excavation	3,25 m³

Accessories

-  Slides for platform heights: 1x 195 cm
- Installation accessories e.g. PF
Please order accessories separately to complete the
appliance.




Gesellschaft
für Klimaschutz
München



5 11 509 011 00

play unit Makalu, solo



CO₂ emissions of the product

1691,6 kg


**Material share of
renewable raw materials**

76%

Recyclate content

12%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024