



VERDYN BENCH

Our **Verdyn Bench** combines strength, security and comfort, making it an ideal seating option for public open spaces. Crafted from thick profile PEFC Oak, it resists anti-social behaviour and endures heavy use, while offering a welcoming resting point for adults and children.

Available in two sizes to seat three or four people, the bench is delivered fully assembled with no visible fixings to prevent tampering. Surface mounting and ground fixing options provide flexibility for different environments.

Product features

- Hardwood PEFC Oak construction
- No visible fixings
- Surface mounting or root fixing options
- Preservative finish
- Standard sizes 1800mm and 1200mm wide
- 1 year manufacturer's warranty

Specification applies to the standard product.
 Our range of options usually allow us to accommodate any differences you may require.
 Please contact us and we will be happy to support you in developing this specification to meet your requirements.

Option delete/ update as appropriate

Manufacturer: Fitzpatrick Woolmer,
 Unit 7 Lakeside Park, Neptune Close,
 Rochester, Kent, ME2 4LT.

Tel: 01634 711 771

Email: info@fwdp.co.uk

Timber: PEFC QPA Grade, generally to
 BS EN 975-1

Species: Oak

Origin: France

Moisture content on delivery: 60% - 80%

Certification: PEFC chain of custody


Finish: Sadolin Classic wood preservative,
 solvent based, matt

Colour: Light Oak

Weight: 78kg

Installation: Surface mounted

Guarantee: One year manufacturer's warranty



Note:
 All dimensions are indicative only.
 Footing details are subject to
 soil conditions and structural
 engineers recommendations.

Specification applies to the standard product.
 Our range of options usually allow us to accommodate any differences you may require.
 Please contact us and we will be happy to support you in developing this specification to meet your requirements.

Option delete/ update as appropriate

Manufacturer: Fitzpatrick Woolmer,
 Unit 7 Lakeside Park, Neptune Close,
 Rochester, Kent, ME2 4LT.
Tel: 01634 711 771
Email: info@fwdp.co.uk

Timber: PEFC QPA Grade, generally to
 BS EN 975-1

Species: Oak

Origin: France

Moisture content on delivery: 60% - 80%

Certification: PEFC chain of custody


Finish: Sadolin Classic wood preservative,
 solvent based, matt

Colour: Light Oak

Weight: 120kg

Installation: Posts extend 370mm below ground level

Guarantee: One year manufacturer's warranty



Note:
 All dimensions are indicative only.
 Footing details are subject to
 soil conditions and structural
 engineers recommendations.

Specification applies to the standard product.
Our range of options usually allow us to accommodate any differences you may require.
Please contact us and we will be happy to support you in developing this specification to meet your requirements.

Option delete/ update as appropriate

Manufacturer: Fitzpatrick Woolmer,
Unit 7 Lakeside Park, Neptune Close,
Rochester, Kent, ME2 4LT.

Tel: 01634 711 771

Email: info@fwdp.co.uk

Timber: PEFC QPA Grade, generally to
BS EN 975-1

Species: Oak

Origin: France

Moisture content on delivery: 60% - 80%

Certification: PEFC chain of custody


Finish: Sadolin Classic wood preservative,
solvent based, matt

Colour: Light Oak

Weight: 98kg

Installation: Surface mounted

Guarantee: One year manufacturer's warranty



Note:
All dimensions are indicative only.
Footing details are subject to
soil conditions and structural
engineers recommendations.

Specification applies to the standard product.
Our range of options usually allow us to accommodate any differences you may require.
Please contact us and we will be happy to support you in developing this specification to meet your requirements.

Option delete/ update as appropriate

Manufacturer: Fitzpatrick Woolmer,
Unit 7 Lakeside Park, Neptune Close,
Rochester, Kent, ME2 4LT.

Tel: 01634 711 771

Email: info@fwdp.co.uk

Timber: PEFC QPA Grade, generally to
BS EN 975-1

Species: Oak

Origin: France

Moisture content on delivery: 60% - 80%

Certification: PEFC chain of custody


Finish: Sadolin Classic wood preservative,
solvent based, matt

Colour: Light Oak

Weight: 140kg

Installation: Posts extend 370mm below ground
level

Guarantee: One year manufacturer's warranty



Note:

All dimensions are indicative only.
Footing details are subject to
soil conditions and structural
engineers recommendations.