



(technical specification)

J49119



- 1- **The different posts** (average diameter: 120 to 140mm / 140 to 160mm / 250 to 300mm) are made from sap free robinia. The robinia is sanded and has had its bark removed. Robinia is naturally rot proof and does not require any additional chemical protection; it is equally extremely resistant to attacks from external sources (insects, fungi, climatic variations), guaranteeing the long term durability of the playground equipment.



- 2- **The boards** are made from natural robinia wood or Douglas fir (plank sizes: 22, 27 and 45mm). Robinia wood and Douglas fir are naturally rot proof and do not require any additional chemical protection; they are equally extremely resistant to attacks from external sources (insects, fungi, climatic variations), guaranteeing the long term durability of the playground equipment.
The coloured panels are using a staining process.



- 3- **The stair treads** (with average diameter 25 to 30cm) are made from sap free robinia. The robinia is sanded and has had its bark removed. Robinia is naturally rot proof and does not require any additional chemical protection; it is equally extremely resistant to attacks from external sources (insects, fungi, climatic variations), guaranteeing the long term durability of the playground equipment.



- 4- **The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.




- 5- **The 16mm diameter rope** is made of galvanised steel cable covered with polyester.



- 6- **The cables** are linked together and held in place by injected polyamide spheres.



7- The net fittings are made of polyamide.
The fittings are composed of two distinct parts for ease of maintenance of individual strands.



8- The yellow panels are made from 8mm thick methacrylate (PMMA).



9- The seats are made from rubber, 13mm thick.



10-The chains are made of stainless steel.



11-The slide is made of stainless steel.



12-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.