



Kanopé

(technical specification)


J56003



- 1- **The 95 x 95mm posts** are made of painted galvanised steel, ensuring robustness and durability.



- 2- **The 125mm diameter posts** are made of painted galvanised steel. The caps are made of injection moulded polyamide.



- 3- **The platform** is made from a 12.5mm thick textured and non-slip compact material (HPL).




- 4- **The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



- 5- **The slatted fences** are produced using post-consumer waste, mainly recycled food and drinks containers (polyethylene, aluminium). This environmental impact reducing material is an inert and robust compound which is hard-wearing, resistant to UV light and fluctuations in temperature, and able to retain its shape over time. It is also rot-proof, making it a reliable option for outdoor applications.



- 6- **The decorative fence panels** are made of 3mm thick painted aluminium sheets.



7- **The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



8- **The fixing elements** are made of injection moulded polyamide.



9- **The slides** are made of rotomoulded polyethylene.



10-**The 16mm diameter rope** is made of galvanised steel cable covered with polyester.
The net fittings are made of polyamide.



11-**The caps** are made of rotary moulded polyethylene.



12-**The abacus spheres** are made of polycarbonate sheets.



13-**The sound generator and the wheel** are made of painted steel.



14-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.